UNIVERSITY COMMUNITY FOCUSED TRANSPORTATION STUDY



Prepared by:
City of San Diego
Transportation Planning Section

October 9, 1997

TABLE OF CONTENTS

	Intr	oduction	. 1
	Exi	sting Conditions	. 3
	Bas	se Year Model Calibration	. 3
	Fut	ure Conditions	16
	Alte	ernatives Studied	16
	Ana	alysis of Future Traffic	22
	Stre	eet Segment Analysis	22
	Inte	ersection Analysis	29
	Inte	ersection Only Improvements	31
	Roa	ad Segment Usage	31
	Co	nclusion	37
APP	END	DICES	
	Α	Capital Improvement Program (CIP) Projects	A-1
	В	Existing (1995) Land Use Report	B-1
	С	Future Buildout Land Use Report	C-1
	D	Comparison of 1997 Forecast to 1987 Forecast	D-1

LIST OF FIGURES

1.	TAZ	. 2
2.	Existing Daily Traffic Volumes	. 4
3.	Existing Functional Street Classifications	. 5
4.	Congested Street Segments	. 7
5.	Congested Intersections (PM Peak Hour)	. 8
6.	Cordons	11
7.	Screen Lines	12
8.	1995 Base Year Model Daily Traffic Volumes	13
9.	Adopted Circulation Element	17
10.	Year 2015 Model Daily Traffic Volumes - Alternative 1	23
11.	Year 2015 Model Daily Traffic Volumes - Alternative 2	24
12.	Year 2015 Model Daily Traffic Volumes - Alternative 3	25
13.	Year 2015 Model Daily Traffic Volumes - Alternative 4	26
14.	Travel Utilization by Area - Genesee Avenue	35
15.	Travel Utilization by Area - Regents Road Bridge	36

LIST OF TABLES

1.	Daily Traffic	6
2.	Intersection Evaluation Criteria	. 9
3.	Cordon Daily Volume Comparisons	14
4.	Screen Line Daily Volume Comparisons	15
5.	Network Alternatives 1-4	18
6.	Network Alternatives 5-8	19
7.	Development Levels Within the University Community	20
8.	Average Daily Traffic Volume/Level of Service Summary Comparisons 1995 and Alternatives 1-4	27
9.	Average Daily Traffic Volume/Level of Service Summary Comparisons Alternatives 5-8	28
10.	PM Peak Hour Level of Service for Selected Intersections	30
11.	Intersection Improvements and PM Peak Hour Level of Service Alternative 1	32
12.	Intersection Improvements and PM Peak Hour Level of Service Alternative 2	33
13.	Intersection Improvements and PM Peak Hour Level of Service Alternative 4	34
14.	Travel Utilization by Area - Genesee Avenue	35
15.	Travel Utilization by Area - Regents Road Bridge	36

INTRODUCTION

The University Community Planning Group asked the City to help them determine if certain Capital Improvement Program (CIP) projects identified for the community would still be needed in the future. The two projects that were of primary interest were the Genesee Avenue widening between Nobel Drive and State Route 52 (SR-52) (CIP 52-458) and the Regents Road Bridge (CIP 53-044). Two additional supporting projects to the bridge, Regents Road from the bridge to 100 feet north of Lahitte Court (CIP 52-302) and the widening of Regents Road from 100 feet north of Lahitte Court to Governor Drive (CIP 52-303), were also included. The descriptions of these CIP projects are included in Appendix A.

To accomplish this task, the Transportation Planning Section created a 1995 base year and a buildout transportation model for the University community. The output from these models was analyzed to determine the levels-of-service on the Circulation Element road network at buildout of the community. In addition, key intersections of Circulation Element roads were analyzed to determine PM peak hour levels of service at buildout.

The previous modeling work in the University community was done in 1987 for the last update of the community plan, approved in 1990.

The traffic model created for this study was based on the San Diego Association of Governments (SANDAG) Series 8 Regional Transportation Models. The ARC INFO and Tranplan software packages were used to build, edit and process the 1995 and buildout models. **Figure 1** shows the Traffic Analysis Zones (TAZs) for the University community.

UNIVERSITY FOCUSED TRANSPORTATION STUDY

TAZ MAP

Key:

TAZ Numbers

= TAZ Boundaries





FIGURE 1



EXISTING CONDITIONS

Daily traffic volume counts of streets were taken with machine counters at various locations throughout the community. In addition, manual intersection peak hour turning movement counts were taken at several key intersections throughout the community. This traffic data, along with existing record traffic volumes were used for two purposes. First, to establish the existing road segment and intersection operating conditions and second, to establish known traffic volume data for comparison to the output of the base year traffic model.

Figure 2 shows the existing daily traffic volumes on the street segments. Existing roadway classifications are shown on **Figure 3**.

Street Segments

Based on existing roadway classifications and existing daily traffic volumes, those roadway segments that, exceed the maximum desirable traffic volumes derived from the City's *Traffic Impact Study Manual* (see **Table 1**), experience congestion at the present time are shown on **Figure 4**.


Signalized Intersections

Figure 5 shows the existing key signalized intersections that are experiencing congestion (with Levels of Service E and F) during the PM peak hour. Table 2 shows the intersection evaluation criteria and the range of seconds of stopped delay per vehicle for the levels of service A through F.

Please refer to the "Background Conditions Transportation Report for the University Community" dated September 1995, for more detailed information on existing roadway and intersection performance, intersection configurations, and locations of traffic signals, bike lanes and transit routes.

Base Year Model Calibration

SANDAG's Series 8 model used 1990 for the base year. For the University model we updated the base year data to 1995 for the land use and the roadway network within the University community.






Existing Daily Traffic Volumes (x1000) University Focused Transportation Study

City Of San Diego • Community and Economic Development Dept.
Transportation Planning Section







Existing Functional Street Classifications (September 1995)

University Focused Transportation Study

City Of San Diego • Community and Economic Development Dept. Transportation Planning Section 5

figure 3

10-10-97 JAA Univ. st.class

TABLE 1

ROADWAY CLASSIFICATIONS, LEVELS OF SERVICE (LOS) AND AVERAGE DAILY TRAFFIC (ADT)


	Т						
			LEVEL OF SERVICE				
STREET CLASSIFICATION	LANES	CROSS SECTIONS	A (.50)	B (.70)	C (1.00)	D (1.1-1.3)	E (1.2-1.6)
Freeway	8 lanes		60,000	84,000	120,000	140,000	150,000
Freeway	6 lanes		45,000	63,000	90,000	110,000	120,000
Freeway	4 lanes		30,000	42,000	60,000	70,000	80,000
Expressway	6 lanes	102/122	30,000	42,000	60,000	70,000	80,000
Prime Arterial	6 lanes	102/122	25,000	35,000	50,000	55,000	60,000
Major Arterial	6 lanes	102/122	20,000	28,000	40,000	45,000	50,000
Major Arterial	4 lanes	78/98	15,000	21,000	30,000	35,000	40,000
Collector	4 lanes	72/92	7,500	10,500	20,000	25,000	30,000
Collector (no center lane) (continuous left-turn lane)	4 lanes 2 lanes	64/84 52/72	5,000	7,000	10,000	13,000	15,000
Collector (no fronting property)	2 lanes	40/60	4,000	5,500	7,500	9,000	10,000
Collector (commercial-industrial fronting)	2 lanes	50/70	2,500	3,500	5,000	6,500	8,000
Collector (multi family)	2 lanes	40/60	2,500	3,500	5,000	6,500	8,000
Collector (single family)	2 lanes	40/60			2,200		

LEGEND:

XXX/XXX = Curb-to-curb width (feet)/right-of-way (feet): based on the City of San Diego Street Design Manual. XXX,XXX= Approximate recommended ADT based on the City of San Diego Street Design Manual.

NOTES:

- 1. The volumes and the average daily level of service listed above are only intended as a general planning guideline.
- Levels of service are not applied to residential streets since their primary purpose is to serve abutting lots, not carry through traffic. Levels of service nomally apply to roads carrying through traffic between major trip generators and attractors.






Congested Street Segments
University Focused Transportation Study

City Of San Diego • Community and Economic Development Dept.

Transportation Planning Section 7

figure 4





Congested Intersections (PM Peak Hour)
University Focused Transportation Study

City Of San Diego • Community and Economic Development Dept.
Transportation Planning Section

figure 5

Table 2

INTERSECTION EVALUATION CRITERIA

The levels of service for signalized intersections are calculated using the operations analysis methodology of the 1985 <u>Highway Capacity Manual</u>. This method assesses the effects of signals (type, timing, phasing, and progression), vehicle mix, and geometries on delay. Level of Service designations are based solely on the criterion of calculated average stopped delay per vehicle, since delay is a measure of driver discomfort, frustration, fuel consumption, and increased travel time. The Table below summarizes the relationship between LOS and delay. The tabulated delay criterion may be applied in assigning LOS designations to individual lane groups or intersection approaches, or to entire intersections.

LEVEL OF SERVICE CRITERIA FOR SIGNALIZED INTERSECTIONS*

Level of Service	Stopped Delay Per Vehicle (seconds)		
A	≤5.0		
В	5.1 to 15.0		
С	15.1 to 25.0		
D	25.1 to 40.0		
E	40.1 to 60.0		
F	>60.0		

*Source:

Transportation Research Board, Special Report 209, Highway Capacity Manual, Washington, D.C., 1994


The land use maps for the University community produced by SANDAG and the land use listing for each community TAZ were given to the Long Range Planning staff for the University community who confirmed and updated existing uses to the year 1995 (See Appendix B).

The SANDAG 1990 model roadway network attributes were plotted and printed and compared to record data and field investigations to update it to 1995 conditions.

After updating the input data to 1995, the base year model was run to output simulated traffic volumes on the street network. These volumes were compared to the actual machine count volumes to test the model assumptions and to see how well the 1995 traffic volumes could be replicated by the traffic model. This validation process is referred to as "calibration of the base year model."

Cordons surrounding key areas of the community and screen lines crossing selected road segments were established to measure the model output volumes against the actual machine count volumes throughout the community. **Figure 6** shows the cordons and **Figure 7** shows the screen lines.

Figure 8 shows the 1995 base year model daily traffic volumes and Tables 3 and 4 show the cordon and screen line daily volume comparisons. As can be seen on Table 3 for cordon "A," the model output for traffic entering and leaving the community as a whole was within 1 percent of the actual counted volume demonstrating that the base year calibration of the model was quite successful.






Cordons University Focused Transportation Study

City Of San Diego • Community and Economic Development Dept.

Transportation Planning Section

11

figure 6






Screen Lines University Focused Transportation Study

City Of San Diego • Community and Economic Development Dept.
Transportation Planning Section 12







City Of San Diego • Community and Economic Development Dept.

Transportation Planning Section 13

figure 8

TABLE 3 UNIVERSITY FOCUSED TRANSPORTATION STUDY

1995 BASE YEAR CORDON DAILY VOLUME COMPARISONS

CORDON	STREET	LOCATION	EXISTING DAILY	BASE YEAR YEAR	FORECAST ACTUAL	FORECAST PERCENT
			VOLUME(1)	FORECAST (2)	DIFFERENCE	DIFFERENCE
A	N. Torrey Pines Rd	S/O Callan Rd	18,000	16,500	-1500	-8
12.20	1-5	N/O Genesee	130,000	126,000	-4000	-3
1	1-805	N/O Eastgate Mall	134,000	155,000	21000	16
1	Miramar Rd	E/O Miramar PI	67,500	65,000	-2500	
1	SR 52	E/O 1-805	94,000	90,000	-4000	
- 1	1-805	S/O SR 52	153,000	160,000	7000	-
	Genesee Ave	S/O SR 52	27,500	26,000	-1500	
	Regents Rd	S/O SR 52	20,000	21,500	1500	ì
1	1-5	S/O SR 52	175,000	170,500	-4500	
1	Ardath Rd	N/O SR 52	45,000	46,500	1500	
	La Jolla Scenic Dr	S/O La Jolla Village Dr	7,000	7,000	0	2
- 1	Torrey Pines Rd	S/O La Jolla Village Dr	25,000	23,000	-2000	_
1	La Jolla Shores Dr	E/O Torrey Pines Rd	12,000	11,500	-500	
TOTAL	La cona Onorca Di	20 remay rando rea	908,000	918,500	10500	
TOTAL			200,000	0.0,000	10300	
В	Torrey Pines Rd	N/O La Jolla Shores	22,500	19,000	-3500	-10
1	La Jolla Shores Dr	E/O Torrey Pines Rd	12,000	11,500	-500	_
- 1	Torrey Pines Rd	S/O La Jolia Village Dr	25,000	23,000	-2000	4
1	La Jolla Scenic Dr	S/O La Jolla Village Dr	7,000	7,000	0	-1
- 1	Gilman Dr	S/O La Jolla Village Dr	14,000	13,500	-500	-
1	Villa La Jolla Dr	S/O La Jolla Village Dr	26,000	23,000	-3000	-1
1	La Jolla Village Dr	E/O Villa La Jolla Dr	56,500	54,000	-2500	_
1	Villa La Jolla Dr	N/O La Jolla Village Dr	16,500	20,000	3500	2
	'Gilman Dr	N/O La Jolla Village Dr	11,000	11,000	0	
TOTAL			190,500	182,000	-8500	
	T	N/O I a Jalla Chassa	00.500	40.000		
С	Torrey Pines Rd	N/O La Jolla Shores	22,500	19,000	-3500	-11
1	La Jolla Shores Dr	E/O Torrey Pines Rd	12,000	11,500	-500	-
1	Torrey Pines Rd	S/O La Jolla Village Dr	25,000	23,000	-2000	4
	La Jolla Scenic Dr	S/O La Jolla Village Dr E/O Gilman Dr	7,000	7,000	0	
TOTAL	La Jolla Village Dr	E/O Gilman Dr	41,500	42,000	500	
TOTAL			108,000	102,500	-5500	
D	Torrey Pines Rd	N/O La Jolla Shores	22,500	19,000	-3500	-11
-	Genesee Ave	E/O John J. Hopkins	40,000	42,000	2000	
1	John J Hopkins	N/O Genesee Ave	8,500	9,000	500	
	N. Torrey Pines Rd	N/O Genesee Ave	39,000	37,000	-2000	
TOTAL			110,000	107,000	-3000	
E	Gilman Dr	S/O La Jolla Village Dr	14,000	13,500	-500	-
	Gilman Dr	S/O Vill Alicante	17,000	16,000	-1000	
	Nobel Dr	W/O I-5	15,000	17,000	2000	1
	Villa La Jolla Dr	S/O La Jolla Village Dr	26,000	23,000	-3000	-1
TOTAL			72,000	69,500	-2500	-3
F	La Jolla Colony Dr	E/O I-5	0.500	0.500	4000	
		1 1 3 7 7 7 8 8 8 1 3 1 5 1 6 A	8,500	9,500	1000	1
1	Genesee Ave	N/O Governor Dr	31,000	32,000	1000	
	Towne Centre Dr Genesee Ave	S/O La Jolla Village Dr	17,000	17,500	500	
*5:		S/O La Jolla Village Dr	27,000	27,000	0	
1	Regents Rd	S/O La Jolla Village Dr	12,500	11,500	-1000	-
	Lebon Dr	S/O La Jolla Village Dr	12,000	11,000	-1000	
	Nobel Dr	W/O Lebon Dr	24,000	20,000	-4000	-1

⁽¹⁾ Source: Machine Count Index, Traffic Engineering Division, Engineering & Development Department, City of San Diego.

Rounded to nearest 500 ADT

(2) Source: 1995 Base Year Calibration Run #16 (Final), Transportation Planning Section, Community & Economic Development, City of San Diego Rounded to nearest 500 ADT

TABLE 4 UNIVERSITY FOCUSED TRANSPORTATION STUDY 1995 BASE YEAR SCREENLINE DAILY VOLUME COMPARISON

SCREEN-		LOCATION	EXISTING	BASE	FORECAST	FORECAST
LINE	STREET	LOCATION	DAILY VOLUME (1)	YEAR FORECAST (2)	ACTUAL DIFFERENCE	PERCENT DIFFERENCE
1-1	Genesee Ave	W/O I-5	40,000	42,000	2000	5
70	Voigt Dr	W/O I-5	7,500	7,500	0	0
	La Jolla Village Dr	W/O I-5	56,500	54,000	-2500	-4
	Nobel Dr	W/O I-5	15,000	17,000	2000	13
	Gilman Dr	W/O I-5	17,000		-1000	-6
Total			136,000	136,500	500	0
2-2	Genesee Ave	E/O I-5	31,500	29,500	-2000	-6
	La Jolla Village Dr	E/O I-5	45,000	44,000	-1000	-2
-	Nobel Dr	E/O 1-5	24,000	20,000	-4000	-17
	La Jolla Colony Dr	E/O I-5	8,500	9,500	1000	. 12
Total			109,000	103,000	-6000	-6
3-3	Eastgate Mall	W/0 1-805	7,000	7,500	500	7
	La Jolla Village Dr	W/0 I-805	66,000		0	0
Total			73,000	73,500	500	1
4-4	Eastgate Mall	E/0 I-805	10,000	10,000	0	0
	Miramar Rd	E/0 1-805	66,500		-1500	-2
Total	PORTON CONTRACTOR CONT		76,500	75,000	-1500	-2
5-5	La Jolla Shores Dr	E/O Torrey Pines Rd	12,000	11;500	-500	-4
	Torrey Pines Rd	S/O La Jolla Village Dr	25,000	23,000	-2000	-8
	La Jolla Scenic Dr	S/O La Jolla Village Dr	7,000	7,000	0	0
	Gilman Dr	S/O La Jolla Village Dr	14,000	13,500	-500	-4
Mesonery.	Villa La Jolla Dr	S/O La Jolla Village Dr	26,000		-3000	-12
Total			84,000	78,000	-6000	-7
6-6	Lebon Dr	S/O Nobel Dr	11,000	11,000	0	0
	Regents Rd	S/O Nobel Dr	10,000	10,000	0	0
	Genesee Ave	S/O Nobel Dr	25,500		500	2
Total			46,500	47,000	500	1
7-7	Regents Rd	N/O La Jolla Village Dr	18,000	17,000	-1000	-6
	Genesee Ave	N/O La Jolla Village Dr	28,000	27,500	-500	-2
	Executive Wy	N/O La Jolla Village Dr	3,500	1152	500	14
	Towne Centre Dr	N/O La Jolla Village Dr	11,000		1500	14
Total			60,500	61,000	500	1
8-8	Regents Rd	N/O Governor	1,500	1,500	0	C
	Genesee Ave	N/O Governor	31,000		1000	3
Total			32,500	33,500	1000	3
9-9	Regents Rd	N/O SR 52	15,500	17,500	2000	13
223 (1999)	Genesee Ave	N/O SR 52	27,500			-2
Total			43,000	44,500	1500	3

⁽¹⁾ Source: Machine Count Index, Traffic Engineering Division, Engineering & Development Department, City of San Diego. Rounded to nearest 500 ADT

15 UNIVSL.WK4

⁽²⁾ Source: 1995 Base Year Calibration Run #16 (Final), Transportation Planning Section, Community & Economic Development, City of San Diego Rounded to nearest 500 ADT

FUTURE CONDITIONS

SANDAG's Series 8 model used 2015 for the forecast year. For the University model, the land uses and the roadway network within the University community were modified and expanded to include buildout conditions.

The land use maps for the University community produced by SANDAG and the 2015 land use listing for each TAZ were given to the Long Range Planning staff for the University community who confirmed and updated them to reflect the buildout of the community (See Appendix C).

The SANDAG 2015 roadway network attributes were compared to existing data and the University community circulation element roadway network and were modified to reflect buildout conditions. **Figure 9** shows the Circulation Element for the University community adopted on January 16, 1990.


Alternatives Studied

Four alternatives were initially chosen to test the need for one or both of the two CIP projects. **Table 5** shows the different combinations of the Genesee Avenue widening and the Regents Road Bridge that made up Alternatives 1-4.

Alternative 1 nearly represents the adopted circulation element for University with the exception of the full interchanges at I-5/SR-52 and I-805/Nobel Drive. Alternative 3 represents the "no build" condition for the two CIP projects. In Alternative 2, Genesee Avenue widening was "in" but the Regents Road Bridge was "out". In Alternative 4, Genesee Avenue widening was "out" but the Regents Road Bridge was "in".

After an initial review by the community planning group, some additional alternatives were proposed to test the amount of traffic reduction that would be realized from a decrease in community development. The four network alternatives were combined with a 20 percent reduction in generated trips for undeveloped parcels that did not have active development permits. **Table 6** shows the descriptions of Alternatives 5-8.

The development levels within the University community are shown in **Table 7**. This table shows that the community was 82 percent builtout in 1995, leaving 18 percent yet to be developed. Of that 18 percent, parcels representing 12 percent of buildout trips had active development permits. This left only 6 percent of the buildout trips coming from parcels that did not already have a level of development approved by the City.





Adopted Circulation Element (January 16, 1990)
University Focused Transportation Study

City Of San Diego • Community and Economic Development Dept.

Transportation Planning Section

17



10-10-97 JAA

Table 5

UNIVERSITY FOCUSED TRANSPORTATION STUDY BUILDOUT MODEL

NETWORK ALTERNATIVES

	Genesee Avenue	Regents Bridge	
Alternative 1	6 lanes	In	
Alternative 2	6 lanes	Out	
Alternative 3	4 lanes	Out	
Alternative 4	4 lanes	ln	

All alternatives include the extension of Nobel Drive from Judicial Drive to Miramar Road and the I-805/Nobel Drive half-diamond interchange.

Table 6

UNIVERSITY FOCUSED TRANSPORTATION STUDY BUILDOUT MODEL

NETWORK ALTERNATIVES

	Genesee Avenue	Regents Bridge	
Alternative 5	6 lanes	In	
Alternative 6	6 lanes	Out	
Alternative 7	4 lanes	Out	
Alternative 8	4 lanes	In	

With 20% Reduction of Trip Generation on Undeveloped Parcels Without Active Permits

All alternatives include the extension of Nobel Drive from Judicial Drive to Miramar Road and the I-805/Nobel Drive half-diamond interchange.

Table 7

Development Levels within the University Community

1995 Vehicle Trip Ends	623,684
Buildout Vehicle Trip Ends	764,444
Percent Builtout in 1995 (Based on Trip Generation)	82 %
Undeveloped Parcels w/o Active Permits	

Land Use Type	Intensity	Vehicle Trips	20% Trip Reduction
Industrial	442 KSF	6,188	1,238
Science / Research	3,183 KSF	29,862	5,972
Residential	801 DUs	3,688	738
SR / VC / Office	500 KSF	6,000	1,200
TOTAL		45,738	9,148

Undeveloped Parcels w/o Active Permits Percent of Buildout	6 %
Undeveloped Parcels w/ Active Permits Percent of Buildout	12 %

This 6 percent represented about 45,700 trips in the community. A 20 percent reduction in these trips was about 9,100 trips, which represented less than 2 percent of the 764,444 total buildout traffic for the community.

All the alternatives included the extension of Nobel Drive from Judicial Drive to Miramar Road and the I-805/Nobel Drive half-diamond interchange.

ANALYSIS OF FUTURE TRAFFIC

In order to analyze future traffic, two sets of capacity analyses were conducted:

- (1) Street Segment Capacity Analysis, and
- (2) Intersection Capacity Analysis.


Street Segment Analysis

Figures 10-13 illustrate the future daily traffic volumes at buildout of the University community for Alternatives 1-4, respectively. The average daily traffic (ADT) volumes and the Level of Service (LOS) for selected street segments in the vicinity of the CIP projects are shown in Table 8. The ADT volumes are rounded to reflect the level of precision of the model output. The 1995 traffic counts for the same segments are also shown for comparison.

Alternative 1 shows that various street segments would be at LOS C with both projects completed. Alternative 2 shows that, with only the Genesee Avenue widening, the levels of service are somewhat less, but mostly within acceptable ranges for the community except for the segment of Genesee Avenue between Governor Drive and Nobel Drive. Alternative 4 shows that, with only the bridge built, the levels of service are still good and somewhat better than Alternative 2. Alternative 3, which is effectively the "no project" alternative, shows that the levels of service for Genesee Avenue will deteriorate to F, which is unacceptable.

Table 9 shows the ADT volumes and the LOS for the same selected street segments for Alternatives 5-8. These alternatives differed from Alternatives 1-4 by having a 20 percent reduction in generated trips for undeveloped parcels that did not have active development permits. As can be seen, after rounding the ADT volumes, the results were identical to the full development alternatives for these segments.


Since there was no significant change in the ADT volumes for the selected street segments, Alternatives 5-8 were eliminated from any further analysis.





City Of San Diego • Community and Economic Development Dept.
Transportation Planning Section 23


figure 10





City Of San Diego • Community and Economic Development Dept.
Transportation Planning Section 24

figure 11






City Of San Diego • Community and Economic Development Dept.

Transportation Planning Section 25

figure 12





City Of San Diego • Community and Economic Development Dept.

Transportation Planning Section 26

figure 13

Table 8

Average Daily Traffic Volume and Level of Service Summary Comparisons

Land Use	1995 1995 Network Genesee Av-4 lanes Regents Bridge - Out		Future Buildout of University Community								
Road Segment			Alternative 1* Genesee Av-6 lanes Regents Bridge - In		Genesee	ative 2* Av-6 lanes Bridge - Out	Altern Genesee	Project) ative 3* Av-4 lanes Bridge - Out	Alternative 4* Genesee Av-4 lanes Regents Bridge - In		
27	ADT	LOS	ADT	LOS	ADT	LOS	ADT	LOS	ADT	LOS	
Genesee Avenue SR-52 - Governor	27,500	С	30,000	С	40,000	C/D	40,000	E/F	30,000	C/D	
Governor - Nobel	31,000	D	30,000	С	45,000	D/E	45,000	F	30,000	C/D	
Regents Road SR-52 - Governor	15,500	В	25,000	С	18,000	В	18,000	В	25,000	С	
Governor - Arriba	1,500	Α	22,000	С	1,500	Α	1,500	Α	22,000	С	
Governor Drive Regents-Genesee	14,500	С	12,000	С	20,000	C/D	18,000	C/D	12,000	С	
Genesee - I-805	20,000	В	25,000	С	28,000	С	28,000	С	25,000	С	

^{*} All future alternatives have the same Community Plan land use and street network assumptions except as noted.

28

Average Daily Traffic Volume and Level of Service Summary Comparisons (With 20 % Reduction on Undeveloped Parcels Without Active Permits)

Table 9

Land Use	Future Buildout of University Community									
Road Segment	Alternative 5* Genesee Av-6 lanes Regents Bridge - In		Genesee ,	ative 6* Av-6 lanes ridge - Out	Genesee A	ative 7* Av-4 lanes ridge - Out	Alternative 8* Genesee Av-4 lanes Regents Bridge - In			
	ADT	LOS	ADT	LOS	ADT	LOS	ADT	LOS		
Genesee Avenue SR-52 - Governor	30,000	С	40,000	C/D	40,000	E/F	30,000	C/D		
Governor - Nobel	30,000	С	45,000	D/E	45,000	F	30,000	U/D		
Regents Road SR-52 - Governor	25,000	С	18,000	В	18,000	В	25,000	С		
Governor - Arriba	22,000	В	1,500	Α	1,500	А	22,000	С		
Governor Drive Regents-Genesee	12,000	С	20,000	C/D	18,000	C/D	12,000	C		
Genesee - I-805	25,000	С	28,000	С	28,000	С	25,000	С		

^{*} All future alternatives have the same Community Plan land use and street network assumptions except as noted.

Intersection Analysis

To help further compare the alternatives, an analysis of Level of Service and average delay for the PM peak hour was conducted at ten key intersections throughout the community.

Table 10 shows the PM peak hour Level of Service (LOS) and average delay for 1995 and Alternatives 1-4 for the ten key intersections. All ten intersections were signalized in 1995 and are expected to remain so at buildout.

The HCS software was used to calculate the LOS and delay for the intersections, except where noted. This software is based on the Highway Capacity Manual methodology. In those cases where the HCS program could not calculate the delay and resulting LOS, the Signal 94 software was used. Refer to Table 2 for the intersection evaluation criteria and the range of seconds of stopped delay per vehicle for the levels of service A through F.

In 1995, one intersection was operating at LOS F and three intersections were operating at LOS E. For buildout of the community, Alternative 1 would have one intersection operating at LOS F and two intersections operating at LOS E. Alternative 2 would also have one intersection operating at LOS F and two intersections operating at LOS E. Alternative 4 would have three intersections operating at LOS F and two intersections operating at LOS E. Alternative 3, "no project", would have four intersections operating at LOS F and two intersections operating at LOS E.

The intersection of Governor Drive/Genesee Avenue would continue to operate at LOS F without the Genesee Avenue widening project. The intersection of Genesee Avenue /SR-52 eastbound ramps would deteriorate to LOS F without the Genesee Avenue widening project.

For Alternatives 1 and 2, the intersections within the Genesee Avenue widening project limits, namely Genesee Avenue/Nobel Drive, Genesee Avenue/Governor Drive and Genesee Avenue/SR-52 ramps, included improvements necessary to bring them to LOS D with the buildout traffic. Since Alternatives 3 and 4 did not include the widening of Genesee Avenue, no improvements were included for the intersections.

TABLE 10 PM PEAK HOUR LEVEL OF SERVICE FOR SELECTED UNIVERSITY INTERSECTIONS

			1995		Alternative 1		Alternative 2		(No Project) Alternative 3		Alternative 4	
NO.	INTERSECTION	CONTROL	LOS ¹	DELAY ¹ (sec/veh)	LOS1	DELAY ¹ (sec/veh)	LOS1	DELAY ¹ (sec/veh)	LOS	DELAY¹ (sec/veh)	LOS¹	DELAY ¹ (sec/veh)
1	Governor Drive/Genesee Avenue	Signalized	F	81.2 ²	D ³	36.6	D/E ³	*	F	109.8²	F	78.7²
2	Governor Drive/Regents Road	Signalized	С	22.1	D	27.9	D	26.9	D	26.9	D	36.5
3	Nobel Drive/Genesee Avenue	Signalized	D	33.4	D ₃	37.5	D/E ³	*	F	67.1 ²	D	38.3
4	Nobel Drive/Regents Road	Signalized	D	29.2	D	33.0	D	34.1	D	34.4	D	33.4
5	La Jolla Village Dr/Towne Center Dr	Signalized	E	41.5	F	64.6 ²	F	63.9 ²	F	73.8 ²	F	64.4 ²
6	La Jolla Village Dr./Genesee Av.	Signalized	E	40.7	Е	49.3	E	47.7	Е	47.7	E	48.2
7	La Jolla Village Drive/Regents Road	Signalized	D	31.1	E	41.0	E	40.2	E	43.8	E	41.0
8	SR-52 EB on/off/Genesee Avenue	Signalized	Е	45.8 ²	C ³	24.8	D^3	26.6	F	63.8 ²	F	77.0²
9	SR-52 WB on/off/Regents Road	Signalized	С	17.2	. С	21.0	С	19.8	C	20.1	С	21.4
10	SR-52 EB on/off/Regents Road	Signalized	С	20.8	D	28.5	С	. 22.2	D	27.0	D	28.3

¹ Intersection Level of Service (LOS) and delay are calculated based on the Higway Capacity Manual, using the HCS Software (except where noted)

Alternative 1: Genesee Avenue - 6 lanes Regents Bridge - In Alternative 2: Genesee Avenue - 6 lanes Regents Bridge - Out Alternative 4: Genesee Avenue - 4 lanes Regents Bridge - In Regen

² HCS Software unable to calculate delay; "Average delay" calculated using Signal 94 Software

³ Includes intersection improvements as part of the Genesee Avenue project

^{*} Level of Service controlled by the segment

Intersection Only Improvements

Based on a request from the University Community Planning Group, additional analysis were conducted analysis to see if sufficient improvements could be made just to the intersections to mitigate the poor levels of service without building the complete CIP projects.

Tables 11, 12 and 13 show the congested intersections for Alternatives 1, 2 and 4, respectively, along with the necessary improvements for them to operate at LOS D. Also included are the estimated costs of the improvements. Alternative 3 was not evaluated for intersection only improvements because the road segments are forecast to operate at LOS F.

Road Segment Usage

To determine what portion of the forecast traffic using the Genesee Avenue corridor and what portion of the forecast traffic using the Regents Road Bridge had origins and destinations inside the University community or outside the community, a select link run was made using the Alternative 1 street network. The first link north of Governor Drive to Calgary Drive was chosen to represent travel on Genesee Avenue.

The 4545 TAZs representing the total San Diego region were divided into 3 districts. District 1 consisted of the 79 zones representing the portion of the University community north of Rose Canyon (North University). District 2 consisted of the 16 zones representing the portion of the University community south of Rose Canyon (South University). District 3 consisted of the remaining 4450 zones outside the University community.

As can be seen in **Table 14** and **Figure 14**, about 66% of the forecast traffic using Genesee Avenue has origins or destinations inside the University community, while about 34% of the forecast traffic has origins or destinations outside the community.

Table 15 and **Figure 15** show similar results that about 72% of the forecast traffic using the Regents Road Bridge has origins or destinations inside the University community, while about 28% of the forecast traffic has origins or destinations outside the community.

TABLE 11

INTERSECTION IMPROVEMENTS AND PM PEAK HOUR LEVEL OF SERVICE

For Selected Signalized Intersections in University

Alternative 1 : Genesee Avenue - 6 lanes Regents Bridge - In

NO.	*	BE	FORE	ADDITIONAL INTERSECTION IMPROVEMENTS					
	INTERSECTION	LOS1	AVG. DELAY ¹ (sec/veh)	IMPROVEMENTS	ESTIMATED COST (\$)	LOS ¹	AVG. DELAY ¹ (sec/veh)		
5	La Jolla Village Dr/Towne Center Dr	F	64.6 ²	Add 4th WB thru lane, Signal phasing & timing adjustments	1,000,000	D	31.6		
6	La Jolla Village Dr./Genesee Av.	E	49.3	Signal phasing & timing adjustments	0	D	37.8		
7	La Jolla Village Drive/Regents Road	E	41.0	Signal phasing & timing adjustments	0	D	33.1		

¹ Intersection Level of Service (LOS) and delay are calculated based on the Higway Capacity Manual, using the HCS Software (except where noted)
² HCS Software unable to calculate delay; "Average delay" calculated using Signal 94 Software

WB = Westbound

TABLE 12

INTERSECTION IMPROVEMENTS AND PM PEAK HOUR LEVEL OF SERVICE

For Selected Signalized Intersections in University

Alternative 2 : Genesee Avenue - 6 lanes Regents Bridge - Out

		BEFORE		ADDITIONAL INTERSECTION IMPROVEMENTS				
NO.	INTERSECTION	LOS ¹	AVG. DELAY ¹ (sec/veh)	IMPROVEMENTS	ESTIMATED COST (\$)	LOS1	AVG. DELAY ¹ (sec/veh)	
5	La Jolla Village Dr/Towne Center Dr	F	63.9²	Add 4th WB thru lane	1,000,000	D	37.3	
6	La Jolla Village Dr./Genesee Av.	Е	47.7	Signal phasing & timing adjustments	0	D	36.0	
7	La Jolla Village Drive/Regents Road	Е	40.2	Add NB right-turn overlap signal phase	10,000	D	38.3	

¹ Intersection Level of Service (LOS) and delay are calculated based on the Higway Capacity Manual, using the HCS Software (except where noted) ² HCS Software unable to calculate delay; "Average delay" calculated using Signal 94 Software

NB = Northbound WB = Westbound

INTERSECTION IMPROVEMENTS AND PM PEAK HOUR LEVEL OF SERVICE

For Selected Signalized Intersections in University

Alternative 4: Genesee Avenue - 4 lanes Regents Bridge - In

		ВЕ	FORE	ADDITIONAL INTERSECTION IMPROVEMENTS				
NO.	INTERSECTION	LOS1	AVG. DELAY ¹ (sec/veh)	IMPROVEMENTS	ESTIMATED COST (\$)	LOS1	AVG. DELAY ¹ (sec/veh)	
1	Governor Drive/Genesee Avenue	F	78.7 ²	Add 3rd NB & SB TH Lane, Add SB RT Lane, Add SB RT overlap signal phase, Add 2nd WB LT Lane	500,000	D	37.3	
5	La Jolla Village Dr/Towne Center Dr	F	64.4 ²	Add 4th WB thru lane	1,000,000	D	34.1	
6	La Jolla Village Dr./Genesee Av.	Е	48.2	Signal phasing & timing adjustments	0	D	36.4	
7	La Jolla Village Drive/Regents Road	E	41.0	Signal phasing & timing adjustments	0	D	33.1	
8	SR-52 EB on/off/Genesee Avenue	F	77.0²	Add 2nd SB LT Lane & Eliminate NB Free RT	200,000	С	22.1	

¹ Intersection Level of Service (LOS) and delay are calculated based on the Higway Capacity Manual, using the HCS Software (except where noted) ² HCS Software unable to calculate delay; "Average delay" calculated using Signal 94 Software

NB = Northbound

LT = Left-turn

SB = Southbound

TH = Thru

WB = Westbound

RT = Right-turn

Table 14

GENESEE AVE. (GOVERNOR DR. TO CALGARY DR.)

Travel Utilization By Area

ADEA*	% UTILIZING
AREA North University	GENESEE AVE.
South University Outside University	33.6

* Trips having either origins or destinations in the specified area





Table 15

REGENTS ROAD BRIDGE

Travel Utilization By Area

AREA*	% UTILIZING REGENTS RD. BRIDGE
North University South University Outside University	44.2 28.2 27.6

* Trips having either origins or destinations in the specified area



Conclusion

Based on the review of the buildout traffic conditions for Alternatives 1 - 4 and the associated analyses of the road segments and the intersections, the following conclusions can be drawn.

Alternative 1, that includes both the Regents Road Bridge and the widening of Genesee Avenue between Nobel Drive and State Route 52, produces the best levels of service throughout the community and balances the forecast traffic on the two north/south corridors (Genesee Avenue and Regents Road) through the community at buildout. However, three intersections, outside the proposed CIP project areas, would still need to be improved.

Alternative 2, that includes only the widening of Genesee Avenue between Nobel Drive and State Route 52, and Alternative 4, that includes only the Regents Road Bridge, produce almost similar levels of service throughout the community at buildout. The street segment levels of service under both alternatives are mostly acceptable with the exception that under Alternative 2 Genesee Avenue between Governor Drive and Nobel Drive would have a LOS D/E (See Table 10). Meanwhile, intersection improvements would still be necessary at several major intersections under both alternatives. It should also be noted that comparing to Alternative 2, Alternative 4 allows more direct utilization of the SR-52/Regents Road interchange which would minimize traffic increase on Governor Drive between Genesee Avenue and Regents Road.

Under Alternative 1, three intersections would need improvements, La Jolla Village Drive/Towne Center Drive, La Jolla Village Drive/Genesee Avenue, La Jolla Village Drive/Regents Road at a total estimated cost of \$1.0 million (See Table 11). Under Alternative 2, three intersections would need improvements. They include: La Jolla Village Drive/Towne Center Drive, La Jolla Village Drive/Genesee Avenue, and La Jolla Village Drive/Regents Road at a total estimated cost of \$1.1 million (See Table 12). Under Alternative 4, five intersections would need improvements: Genesee Avenue, Governor Drive, La Jolla/Towne Center Drive, La Jolla Village Drive/Genesee Avenue, La Jolla Village Drive/Regents Road, and Genesee Avenue/SR-52 at a total estimated cost of \$1.7 million (See Table 13).

Alternative 3, that includes neither project, produces very poor levels of service (E and F) at many locations throughout the community at buildout (see Tables 8 and 10).

Another component to be considered is the estimated costs of the CIP projects. Although both Alternatives 1 and 4 (after intersection improvements) would provide similar and acceptable level of service (See Table 10), they have substantial cost differences. The Genesee Avenue widening, between Nobel Drive and SR-52 (Alternative 2), is estimated to cost \$4.1 million. The Regents Road Bridge Project (Alternative 4) is estimated to cost \$16.1 million, with the improvements to the south approach adding another \$2.9 million.

The University Community Planning Group, after considering all of the analyses, voted on June 10, 1997 to retain all referenced CIP projects in the Community Plan at the present time. Facilities Benefit Assessment (FBA) fees will continue to be collected for those projects. After the Nobel Drive extension to Miramar Road and the half-diamond interchange at Nobel Drive/Interstate 805 is completed and the resulting effects on the traffic circulation in the community are known, these projects will be reevaluated to determine their continued need.

APPENDIX A

CAPITAL IMPROVEMENT PROGRAM (CIP) PROJECTS

CIP NO. 52-458.0

TITLE: GENESEE AVENUE - NOBEL DRIVE TO STATE ROUTE 52

DEPARTMENT: ENGINEERING & CAPITAL PROJECTS

EXPENDITURE: LAND · 230,000 ENGR/CONSTR 3,861,200

COUNCIL DISTRICT 1 COMMUNITY PLAN INITIAL SCHEDULE 90/94/95

ENUE SOURCE 2,469,200 FBA 1,450,000 TNB 172,000 STA	OND N		CONT APPROP 845,600	FY 1997	FY 1998 1,523,600 1,450,000 172,000	FY 1999	FY 2000	FY 2001	FY 2002
			=						
4,091,200 TO	TAL	PD 100,000	DLC 845,600		c 3,145,600		 		

Description: This project provides for widening Genesee Avenue from Nobel Drive to State Route 52 to a modified six-lane major street north of Decoro Street and a modified six-lane primary arterial south of Decoro Street. It includes a right-turn lane, eastbound to southbound, at the Genesee Avenue/Nobel Drive intersection, additional right and left turn lanes, including a traffic signal at State Route 52 interchange, and Class II bicycle lanes. See project #A in the North University City Public Facilities Financing Plan.


Justification: This project is needed to increase the capacity of this facility.

Scheduling: Preliminary design was scheduled in FY 1992. Final design and land acquisition were scheduled to begin in FY 1994. Construction is scheduled to begin in FY 1998. This schedule is contingent upon the rate of development and fees collected in the community.

Relationship to General and Community Plans: This project is consistent with the University Community Plan, and is in conformance with the City's Progress Guide and General Plan.

Operating Budget Effect: The operating budget effect is estimated to be minimal.

CIP No. 52-458.0



CIP NO. 53-044.0

16,135,000 TOTAL

TITLE: REGENTS ROAD BRIDGE

DEPARTMENT: ENGINEERING & CAPITAL PROJECTS

EXPENDITURE: LAND 50,000 ENGR/CONSTR 16,085,000

STREETS

810,000

REVENUE SOURCE 15,995,481 FBA 139,519 TRANS	EXPEND/ENCUMB C 203,600 C 10,878	128,641	FY 1997 810,000	FY 1998	FY 1999 50,000	FY 2000	FY 2001 700,000	FY 2002
						£) .		

Description: This project provides for a 925-foot long bridge spanning the AT&SF Railroad and a portion of the flood plain. This project includes Class II bike lanes.

214,478

128,641


Justification: This project will complete Regents Road and provide a continuous access to the northern City communities. This project is included in the Council-approved North University City Financing Plan and Facilities Benefit Assessment Plan as project #NUC-18.

Scheduling: Preliminary design was scheduled in FY 1992. Environmental assessment was scheduled in FY 1994. Design is scheduled in FY 1997 and FY 2001. Land acquisition is scheduled in FY 1999. Construction is scheduled in FY 2003. This schedule is contingent upon the rate of development and fees collected in the community.

Relationship to General and Community Plans: This project is consistent with the University Community Plan, and is in conformance with the City's Progress Guide and General Plan.

Operating Budget Effect: The operating budget effect is estimated to be minimal.

CIP No. 53-044.0



50,000

COUNCIL DISTRICT 1 COMMUNITY PLAN

INITIAL SCHEDULE 87/91/--

700,000

STREETS

CIP NO. 52-302.0

TITLE: REGENTS RD - AT&SF RAILROAD BRIDGE TO 100 FEET NORTH OF LAHITTE

COUNCIL DISTRICT 1
COMMUNITY PLAN 47
INITIAL SCHEDULE 83/86/--

DEPARTMENT: ENGINEERING & CAPITAL PROJECTS

EXPENDITURE: LAND 40,000 ENGR/CONSTR 2,094,600

EXPEND/ENCUMB C N N	CONT APPROP	FY 1997	FY 1998	FY 1999	FY 2000 52,600	FY 2001 362,000	FY 2002 40,000
,				2	P	D	

<u>Description</u>: This project provides for construction of Regents Road from AT&SF Railroad Bridge to 100 feet north of Lahitte Court as a four-lane major street with Class II bicycle lanes. See project #12 in the North University City Public Facilities Financing Plan.


Justification: Widening Regents Road at this location will enhance traffic flow.

Scheduling: Preliminary design was scheduled to begin in FY 1993 and is scheduled again in FY 2000. Design is scheduled to begin in FY 2001. Land acquisition is scheduled in FY 2002. Construction is scheduled in FY 2003.

Relationship to General and Community Plans: This project is consistent with the University Community Plan, and is in conformance with the City's Progress Guide and General Plan.

Operating Budget Effect: The operating budget effect is estimated to be minimal.

CIP No. 52-302.0



CIP NO. 52-303.0

TITLE: REGENTS ROAD - 100 FEET NORTH OF LAHITTE COURT TO GOVERNOR DRIVE

COUNCIL DISTRICT 1 COMMUNITY PLAN INITIAL SCHEDULE 83/86/--

DEPARTMENT: ENGINEERING & CAPITAL PROJECTS

STREETS

EXPENDITURE:

ENGR/CONSTR

798,775

REVENUE SOURCE 288,775 TRANS 50,000 S/L 460,000 TNBOND	N I	CONT APPROP	FY 1997	FY 1998	FY 1999 F	Y 2000 52,600	FY 2001 FY 2002
			1				
798,775 TOTAL		P 111,175				P 52,600	D 125,000

Description: This project provides for widening Regents Road from 100 feet north of Lahitte Court to Governor Drive. The project will widen the existing half-width street to a four-lane major street with Class II bicycle lanes. See project #14 in the North University City Public Facilities Financing Plan.


Justification: Widening Regents Road at this location will enhance traffic flow.

Scheduling: Preliminary design was scheduled to begin in FY 1993, and is scheduled again in FY 2000. Design is scheduled in FY 2001. Construction is scheduled in FY 2003.

Relationship to General and Community Plans: This project is consistent with the University Community Plan, and is in conformance with the City's Progress Guide and General Plan.

Operating Budget Effect: The operating budget effect is estimated to be minimal.

CIP No. 52-303.0



APPENDIX B

EXISTING (1995) LAND USE REPORT

ZONE	CODE	LAND USE	INTENSITY
1670	7603	OPEN SPACE	380.1 AC
1670			190.0 AC
	9101		1.9 AC
	9999		76.5 AC
1070	2222	Chi Cornada	70.5 AC
	4112		12.4 AC
1672			2.0 AC
1672	4119	OTHER TRANSPORTATION	10.9 AC
1672	7603	OPEN SPACE	298.1 AC
1672	9999	UNUSABLE	417.6 AC
1768	1501	HOTEL, MOTEL, OR RESORT	15.3 AC
1768			1.6 AC
1768			276.5 AC
1768	S 12041 (\$20.14)	ACTIVE PARK	22.4 AC
1768			20.8 AC
1768	9999	UNUSABLE	9.1 AC
1770	2101	INDUSTRIAL PARK	13.7 AC
1770	6002		13.7 AC
	7603		2.2 AC
1770			61.0 AC
1110	2233	CHOCALLES	01.0 AC
1791	A STATE OF THE STATE OF		90.3 AC
1791	2103		6.7 AC
1791	9101	VACANT	16.1 AC
1791	9999	UNUSABLE	76.8 AC
1830	2101	INDUSTRIAL PARK	96.8 AC
1830	4112	FREEWAY	19.8 AC
1830	9101	VACANT	19.4 AC
1830	9999	UNUSABLE	246.8 AC
1837	2101	INDUSTRIAL PARK	22.6 AC
1837	2103	LIGHT INDUSTRY	9.4 AC
1837	6502	HOSPITAL	8.0 AC
1837	9101	VACANT	31.6 AC
1837	9999	UNUSABLE	20.3 AC
1841	6002	LOW RISE OFFICE	24.0 AC
1841	6502	HOSPITAL	30.0 AC
1841	9101	VACANT	.8 AC
1841	9999	UNUSABLE	2.2 AC

ZONE	CODE	LAND USE	INTENSITY
1847	2101	INDUSTRIAL PARK	106.3 AC
1847	2103	LIGHT INDUSTRY	11.6 AC
1847	4112		17.1 AC
1847	6801	SDSU OR UCSD	.0 AC
1847	9101		2.6 AC
1847	9999		154.3 AC
1847	9999	UNUSABLE	154.3 AC
1856	101	SINGLE FAMILY	2.0 DU
1856	2101	INDUSTRIAL PARK	21.1 AC
1856	7603	OPEN SPACE	7.4 AC
1856	7604		116.9 AC
1856	9101		1.7 AC
1856	9999	UNUSABLE	4.1 AC
1865	2101	INDUSTRIAL PARK	8.0 AC
			.4 AC
1865	2103		
1865	6002		.4 AC
1865	9101		36.6 AC
1865	9999	UNUSABLE	107.0 AC
1871	102	MULTI-FAMILY	47.0 DU
		A TAME OF THE PARTY OF THE PART	
1871	1402	DORMITORY	8.4 AC
1871	4112	FREEWAY	6.6 AC
1871	6002	LOW RISE OFFICE	.7 AC
1871	6810	UCSD COUNTS	106.0 TRIPS (x100)
1871	7601		1.5 AC
1871	9101	VACANT	137.8 AC
1871	9999	UNUSABLE	1.4 AC
1074	2101	TATO POLICE TATAL DATE OF	24.0.20
1874	2101	INDUSTRIAL PARK	34.0 AC
1874	2103		1.2 AC
1874	4112	FREEWAY	10.3 AC
1874	5001	WHOLESALE TRADE	13.0 AC
1874	9101	VACANT	12.6 AC
1874	9999	UNUSABLE	101.1 AC
1005	4220	THE TALL	0.000
		FREEWAY	8.2 AC
1875		HOSPITAL	46.9 AC
1875	6801	SDSU OR UCSD	15.8 AC
1876	2101	INDUSTRIAL PARK	4.5 AC
	4112	2 N.	3.4 AC
	9101		63.1 AC
	9999		57.0 AC
1070	2233	CHOCHELES	57.0 AC

ZONE	CODE	LAND USE	INTENSITY
1879	2101	INDUSTRIAL PARK	16.4 AC
		LIGHT INDUSTRY	6.5 AC
		WAREHOUSING OR STORAGE	5.8 AC
		WHOLESALE TRADE	17.2 AC
		OTHER RETAIL	23.4 AC
		VACANT	.2 AC
1879	9999	UNUSABLE	72.7 AC
	2101		15.1 AC
		VACANI	5.4 AC
1880	9999	UNUSABLE	40.7 AC
1884	6810	UCSD COUNTS	65.0 TRIPS (x100)
1996	102	MULTI-FAMILY	250.0 DU
		OTHER PUBLIC SERVICE	1.3 AC
		UNUSABLE	10.4 AC
) - 3333	5.5.5.5		DELEG SE
1887	102	MULTI-FAMILY	356.0 DU
1887	9999	UNUSABLE	11.2 AC
1888	2101	INDUSTRIAL PARK	52.2 AC
		LIGHT INDUSTRY	9.5 AC
		WAREHOUSING OR STORAGE	5.3 AC
		VACANT	.4 AC
1888	9999	UNUSABLE	59.2 AC
1889	4112	FREEWAY	9.7 AC
		HOSPITAL	.O AC
		SDSU OR UCSD	156.6 AC
1800	4112	FREEWAY	13.9 AC
		WHOLESALE TRADE	.0 AC
		UNUSABLE	171.1 AC
2000	2222		272.2 272
1891	6810	UCSD COUNTS	72.0 TRIPS (x100)
1892	4112	FREEWAY	31.6 AC
1892	9101	VACANT	5.1 AC
1892	9999	UNUSABLE	182.2 AC
	12202		5 to the same
1893	4113	COMMUNICATION OR UTILITY	1.7 AC

ZONE	CODE	LAND USE		INTENSITY	
1893	6002	LOW RISE OFFICE		3.0 AC	
	100000000000000000000000000000000000000	FIRE OR POLICE STATION		2.8 AC	
		SENIOR HIGH SCHOOL		33.4 AC	
1893	7601	ACTIVE PARK		10.4 AC	
1894	2102	LIGHT INDUSTRY		2.7 AC	
78.71.57.21.11		FREEWAY	40 00	2.8 AC	
		VACANT		14.2 AC	
	4.	UNUSABLE		13.1 AC	
1034	3333	CINOSABLIS		13.1 AL	
1896	2101	INDUSTRIAL PARK		7.8 AC	
		VACANT		8.4 AC	
	9999			3.4 AC	
2030		Total Total Annotation		0.1.12	
1897	6002	LOW RISE OFFICE		15.0 AC	
	9101			10.4 AC	
1897	9999	UNUSABLE		4.8 AC	
1898	6001	HIGH RISE OFFICE		1.2 AC	
1898	6002	LOW RISE OFFICE		7.8 AC	
1898	6102	CHURCH		5.1 AC	
1898	9101	VACANT		.3 AC	
1898	9999	UNUSABLE		4.4 AC	
1899	6810	UCSD COUNTS		56.0 TRI	DC (-1200)
1099	6610	OCSD COUNTS		56.0 IRI	PS (X100)
1900	4112	FREEWAY		7.7 AC	
1900	9101	VACANI		36.3 AC	
1901	6810	UCSD COUNTS		112.0 TRI	PS (x100)
	92115E	Warring to a sea week		BES 12 190022	
		FREEWAY		8.3 AC	
		MAJOR HOSPITAL		33.4 AC	
1902	6810	UCSD COUNTS		73.0 TRI	PS (x100)
1903	6001	HIGH RISE OFFICE		3.7 AC	
	9101	VACANT		9.3 AC	
1903	9999	UNUSABLE		3.1 AC	
1703	2233			3.1 AL	
1904	102	MULTI-FAMILY		95.0 DU	
1904	1501	HOTEL, MOTEL, OR RESORT		5.3 AC	
	9101			5.1 AC	

ZONE	CODE	LAND USE	INTENSITY
1904	9999	UNUSABLE	1.1 AC
1905		HIGH RISE OFFICE	8.0 AC
1905	6002	LOW RISE OFFICE	14.1 AC
1905 1905		VACANT UNUSABLE	1.3 AC 2.3 AC
1906	102	MULTI-FAMILY	847.0 DU
1906	4112		5.9 AC
1906	6801	SDSU OR UCSD	31.7 AC
1908	1501	HOTEL, MOTEL, OR RESORT	3.5 AC
1908		OTHER RETAIL	8.3 AC
	6001	HIGH RISE OFFICE	2.0 AC
	6002		7.0 AC
	7601		2.8 AC
1908	9101 9999	VACANT UNUSABLE	8.0 AC .6 AC
1906	3333	UNUSABLE	.o AL
1910	4112	FREEWAY	16.1 AC
	9101		7.0 AC
1910	9999	UNUSABLE	45.4 AC
	6001		10.0 AC
	9101	VACANT	21.1 AC
1911	9999	UNUSABLE	2.2 AC
1912	5002	REGIONAL SHOPPING CENTER	72.7 AC
1912	9101		.3 AC
1912	9999	UNUSABLE	.3 AC
1914	5004	NEIGHBORHOOD SHOPPING CENTER	3.7 AC
		VACANT	21.2 AC
1914	9999	UNUSABLE	2.7 AC
1915	102	MULTI-FAMILY	1400.0 DU
		HIGH RISE OFFICE	.6 AC
		VACANT	8.0 AC
1915	9999	UNUSABLE	2.2 AC
		HOTEL, MOTEL, OR RESORT	3.8 AC
1916		FREEWAY	5.7 AC
1916	5009	OTHER RETAIL	3.9 AC

ZONE CODE LAND USE	INTENSITY
	THIENDILL
1916 6001 HIGH RISE OFFICE	9.2 AC
1916 6002 LOW RISE OFFICE	1.0 AC
1916 9101 VACANT	.9 AC
1916 9999 UNUSABLE	4.4 AC
1917 1501 HOTEL, MOTEL, OR RESORT	8.8 AC
1917 4112 FREEWAY 1917 5009 OTHER RETAIL	4.1 AC 6.0 AC
1917 6002 LOW RISE OFFICE	11.2 AC
1917 6002 HOW RISE OFFICE	11.2 AC
1918 102 MULTI-FAMILY	74.0 DU
1918 1501 HOTEL, MOTEL, OR RESORT	6.3 AC
1918 4118 ROADS	.4 AC
1920 102 MULTI-FAMILY	635.0 DU
1922 101 SINGLE FAMILY	56.0 DU
1922 102 MULTI-FAMILY 1922 5002 REGIONAL SHOPPING CENTER	257.0 DU
1922 5002 REGIONAL SHOPPING CENTER	6.2 AC
1922 9101 VACANT	.3 AC
1922 9999 UNUSABLE	8.6 AC
1923 102 MULTI-FAMILY	200.0 DU
1923 9101 VACANT	3.7 AC
1923 9999 UNUSABLE	.3 AC
1924 102 MULTI-FAMILY	584.0 DU
1924 1501 HOTEL, MOTEL, OR RESORT	1.1 AC
1924 6002 LOW RISE OFFICE	1.9 AC
1925 4112 FREEWAY	
1925 4112 FREEWAY 1925 7601 ACTIVE PARK	3.7 AC 5.9 AC
1925 7601 ACTIVE PARK	31.5 AC
1925 9999 UNUSABLE	38.8 AC
1927 102 MULTI-FAMILY	685.0 DU
1927 4112 FREEWAY	2.0 AC
1927 6001 HIGH RISE OFFICE 1927 6002 LOW RISE OFFICE	2.2 AC 10.7 AC
1927 9101 VACANT	.8 AC
	.0 785
1928 4112 FREEWAY	2.8 AC
1928 5003 COMMUNITY SHOPPING CENTER	18.4 AC

ZONE	CODE	LAND USE	INTENSITY
1929	5004	NEIGHBORHOOD SHOPPING CENTER	16.5 AC
1929		VACANT	13.3 AC
		UNUSABLE	5.1 AC
1040	2222	CHOSPACIA	J.1 A
1930	102	MULTI-FAMILY	36.0 DU
1930	5004	NEIGHBORHOOD SHOPPING CENTER	4.4 AC
		The second secon	
1931	102	MULTI-FAMILY	754.0 DU
1932	102	MULTI-FAMILY	615.0 DU
	S.ECTOLIN	28 (28) (28) (28) (28) (28) (28) (28) (2	90 SSST 1970 SSYS
1933	102	MULTI-FAMILY	116.0 DU
1933	4112	FREEWAY	3.7 AC
	100000000000000000000000000000000000000	COMMUNITY SHOPPING CENTER	28.6 AC
1933	5007	COMMUNITY SC ADJUSTMENT	100.0 TRIPS (x100)
			n
1934	102	MULTI-FAMILY	339.0 DU
1935	102	MULTI-FAMILY	400.0 DU
		ACTIVE PARK	1.8 AC
		UNUSABLE	3.2 AC
		MULTI-FAMILY	249.0 DU
1936	7601	ACTIVE PARK	16.7 AC
1936	9101	VACANT	4.5 AC
1927	102	MULTI-FAMILY	256.0 DU
1937	7602		7.2 AC
1937		VACANT	7.5 AC
1937		UNUSABLE	47.9 AC
233,	5555	CA-10-22-22-22-22-22-22-22-22-22-22-22-22-22	47.5 700
1938	102	MULTI-FAMILY	444.0 DU
1938	4112	FREEWAY	3.4 AC
	6102	CHURCH	5.0 AC
1938	9999	UNUSABLE	.9 AC
			. > 200
1939	102	MULTI-FAMILY	780.0 DU
1939	7602	PASSIVE PARK	19.8 AC
1939	9999	UNUSABLE	2.1 AC

ZONE	CODE	LAND USE	INTENSITY
1941	102	MULTI-FAMILY	474.0 DU
1942	102	MULTI-FAMILY	943.0 DU
1943	102	MULTI-FAMILY	820.0 DU
	102 9999	MULTI-FAMILY UNUSABLE	548.0 DU .1 AC
74			
1947	102	MULTI-FAMILY	168.0 DU
The second of the second		ELEMENTARY SCHOOL	14.6 AC
	7601	ACTIVE PARK	7.2 AC
000		SINGLE FAMILY	252.0 DU
		FREEWAY	4.9 AC
1948		PARK AND RIDE LOT	2.1 AC
1948	7601 7602		2.5 AC 26.4 AC
		UNUSABLE	12.0 AC
		*	
1949	102	MULTI-FAMILY	457.0 DU
1949	7602	PASSIVE PARK	13.4 AC
	52.000		100000000000000000000000000000000000000
1950		MULTI-FAMILY	200.0 DU
1950 1950		The second secon	1.7 AC 3.0 AC
1950			1.0 AC
1954	101	SINGLE FAMILY	694.0 DU
1954	7602	PASSIVE PARK	34.5 AC
1954	9999	UNUSABLE	9.4 AC
		MULTI-FAMILY	729.0 DU
		FREEWAY	24.1 AC
		PASSIVE PARK	4.2 AC
1955	9999	UNUSABLE	5.5 AC
		MULTI-FAMILY	20.0 DU
1956	5004	NEIGHBORHOOD SHOPPING CENTER	7.5 AC
1957	6804	SENIOR HIGH SCHOOL	47.4 AC

ZONE	CODE	LAND USE	INTENSITY
1957	7602	PASSIVE PARK	25.1 AC
	102		1200.0 DU
		FREEWAY	7.5 AC
		ACTIVE PARK	5.3 AC
1958	9999	UNUSABLE	48.8 AC
		MULTI-FAMILY	525.0 DU
1959		PASSIVE PARK	11.0 AC
1959	9999	UNUSABLE	2.1 AC
1960	102	MULTI-FAMILY	477.0 DU
1960	7602	PASSIVE PARK	5.7 AC
1961	101	SINGLE FAMILY	705.0 DU
	102		61.0 DU
	5004		3.0 AC
		PASSIVE PARK	61.9 AC
1961	9999	UNUSABLE	10.2 AC
		MULTI-FAMILY	340.0 DU
1962	7602	PASSIVE PARK	5.6 AC
1964	101	SINGLE FAMILY	200.0 DU
	102		119.0 DU
1964	5008	GAS STATION W/FOOD MRT	1.0 STA
1964	6804		6.0 AC
	6806	ELEMENTARY SCHOOL	11.3 AC
1964	9999	UNUSABLE	10.2 AC
		SINGLE FAMILY	326.0 DU
1966	4112	FREEWAY	3.5 AC
1966	5004		1.0 AC
		CHURCH	3.7 AC
1966	7602	PASSIVE PARK	125.8 AC
	4112		8.3 AC
	6005		51.8 AC
1967	6102	CHURCH	4.6 AC
1967	7602	PASSIVE PARK	4.7 AC
1967 1967	9101 9999	VACANT UNUSABLE	13.3 AC
1707	2233	CATOLIFICATION .	1.2 AC

ZONE	CODE	LAND USE	INTENSITY
1968	101	SINGLE FAMILY	40.0 DU
1968	7601	ACTIVE PARK	11.0 AC
1968			17.6 AC
1970	101	SINGLE FAMILY	299.0 DU
1970	102	MULTI-FAMILY	243.0 DU
1970	4112	FREEWAY	11.2 AC
1970	5004	NEIGHBORHOOD SHOPPING CENTER	2.0 AC
1970	6102	CHURCH	2.0 AC
1970	6805	JUNIOR HIGH OR MIDDLE SCHOOL	18.8 AC
	6806		7.9 AC
	7601		17.3 AC
1970	7603	OPEN SPACE	17.9 AC
1971	5004	NEIGHBORHOOD SHOPPING CENTER	7.0 AC
1971			1.0 STA
	5010		4.0 KSF
1971	6103	LIBRARY	1.2 AC
1972	101	SINGLE FAMILY	470.0 DU
1972			329.0 DU
	4112	FREEWAY	8.5 AC
	5004		2.5 AC
	9999		33.5 AC
1973	101	SINGLE FAMILY	232.0 DU
	4112		15.2 AC
1973			1.4 AC
1973		UNUSABLE	25.9 AC
1977	5004	NEIGHBORHOOD SHOPPING CENTER	8.8 AC
1979	101	SINGLE FAMILY	118.0 DU
1979	9999	UNUSABLE	15.0 AC
1980	101	SINGLE FAMILY	870.0 DU
1980	4112	FREEWAY	34.3 AC
1980	5004	NEIGHBORHOOD SHOPPING CENTER	1.0 AC
1980	6102	CHURCH	8.4 AC
1980	6806	ELEMENIARY SCHOOL	14.3 AC
1980	7601	ACTIVE PARK	4.2 AC
1980	7602	PASSIVE PARK	107.4 AC
1980	7603	OPEN SPACE	9.7 AC
1980	9999	UNUSABLE	16.2 AC
			an autoria autoria

PAGE 11

UNIVERSITY FOCUSED TRANSPORTATION STUDY 1995 BASE YEAR

ZONE	CODE	LAND USE	INTENSITY
1981	101	SINGLE FAMILY	334.0 DU
1981	4112	FREEWAY	8.2 AC
1981	5004	NEIGHBORHOOD SHOPPING CENTER	1.0 AC
1981	9999	UNUSABLE	41.3 AC

LAND USE SUMMARY

				PERSON	11. San 11. San 1 - 11. San 1
CODE	LAND USE	INTENSITY		TRIPS	TRIPS
101	SINGLE FAMILY	4598. DU			
	MULTI-FAMILY	17072. DU			
	DORMITORY	8. AC			
	HOTEL, MOTEL, OR RESORT	44. AC			
2101	INDUSTRIAL PARK	490. AC			
2103	INDUSTRIAL PARK LIGHT INDUSTRY				
2104	LIGHT INDUSTRY WAREHOUSING OR STORAGE FREEWAY	11. AC			
4112	FREEWAY	327. AC			
4113	COMMUNICATION OR UTILITY	2. AC			
4116	PARK AND RIDE LOT	4. AC			
4119	OTHER TRANSPORTATION	11. AC			
5001	PARK AND RIDE LOT OTHER TRANSPORTATION WHOLESALE TRADE REGIONAL SHOPPING CENTER	30. AC			
5002	REGIONAL SHOPPING CENTER	79. AC			
5003	COMMUNITY SHOPPING CENTER	47. AC			
5004	NEIGHBORHOOD SHOPPING CENTER	58. AC			
5007	COMMUNITY SC ADJUSTMENT	100. TRIPS	(x100)		
5008	COMMUNITY SC ADJUSTMENT GAS STATION W/FOOD MRT	2. STA			
5009	OTHER RETAIL	42. AC			
5010	OTHER RETAIL FAST FOOD RESTAURANT HIGH RISE OFFICE LOW RISE OFFICE GREENWICH DR. OFFICES CHURCH	4. KSF			
6001	HIGH RISE OFFICE	37. AC			
6002	LOW RISE OFFICE	111. AC			
6005	GREENWICH DR. OFFICES	52. AC			
6102	CHURCH	30. AC			
6103	LIBRARY	1. AC			
	FIRE OR POLICE STATION	3. AC		3.5	
6109	OTHER PUBLIC SERVICE MAJOR HOSPITAL HOSPITAL SDSU OR UCSD	1. AC			
6501	MAJOR HOSPITAL	33. AC			
6502	HOSPITAL	85. AC			
6801	SDSU OR UCSD	204. AC			
6804	SENIOR HIGH SCHOOL	87. AC			
6805	JUNIOR HIGH OR MIDDLE SCHOOL	19. AC 48. AC			
6806	ELEMENTARY SCHOOL				
6810	UCSD COUNTS	484. TRIPS	(x100)		
7204	GOLF COURSE	277. AC	3		
7601	ACTIVE PARK	109. AC			
7602	PASSIVE PARK	453. AC			
7603	OPEN SPACE	736. AC			
7604	ELEMENTARY SCHOOL UCSD COUNTS GOLF COURSE ACTIVE PARK PASSIVE PARK OPEN SPACE ACTIVE BEACH	307. AC			
9101	VACANT	565. AC			
9999		2330. AC			8
	TOTAL			914,490	623,680

LAND USE PERSON TRIP GENERATION RATES

								SI	PLIT I	PERCEN	VTAGES				
			RATES	TRIP		HOME	HOME	HOME	HOME	HOME	WORK	OTHR	SERV		
	CODE	LAND USE		END	TOTAL	WORK	COLL	SCHL	SHOP	OTHR	OTHR	OTHR	PASS	TOUR	APRT
	101	SINGLE FAMILY	12.0	P	849		17	96	192	331	6	69	97	12	4
				A	151	27	0	0	0	394	33	388	138	20	0
	102	MULTI-FAMILY	10.0	P	863	178	31	66	234	328	5	61	80	14	3
				A	137	37	0	0	0	409	31	385	120	18	0
	103	MOBILE HOME PARK	7.5	P	833	129		35	268	390	15	85	48	11	3
				A	167	18		0	0	414	75	426	50	17	0
	104	LOW INCOME	8.9	P	863	178		66	234	328	5	61	80	14	3
	20202	The second secon		A	137			0	0	409	31	385	120	18	0
	105	MID INCOME	11.0	P	849		1700	96	192	331	6	69	97	12	4
				A	. 151	27		0	0	394	33	388	138	20	0
	106	HIGH INCOME	11.7	P	849			96	192	331	6	69	97	12	
	107	CED INTIMPOTENT C	45.0	A	151	27		0	0	394	33	388	138	20	
bood	107	SFD UNIVERSITY S.	15.0	P	849			96	192	331	6	69	97	12	
B-14	1000	ACTUAL DAMANA	05.1	A	151	27	0	0	0	394	33	388	138	20	0
14	1200	MULTI-FAMILY	95.1	P	863	178		66	234	328	5	61	80	14	3
	1401	73.77	10.2	A	137	37		0	0	409	31	385	120	18	0
	1401	JAIL	10.3	P	267			0	0	0	597	403	0		0
	1400	DODUTMONU		A	733		0	0	0	25	218	147	19	0	0
	1402	DORMITORY	.0	P	845			70	229	319	0	60	78	15	3
	1400	MIT THEOU DEDDE OVO	•	A	155			0	0	415	105	307	113	20	0
	1403	MILITARY BARRACKS	.0	P	845			70	229	319	0	60	78	15	3
	1.01	MONTA CIMEDAL		A	155			0	0	415	105	307	113	20	0
	1404	MONASTERY	5.1	P	839			79	216	307	0	78	91	0	0
	1400	OMITTO COOLD OUR DEED C	5 3	A	161			0	0	414	0.	408	118	0	0
	1409	OTHER GROUP QUARTERS	5.3	P	857			69	217	329	5	66	87	0	0
	1501	NOMBL OF PERODE	477.0	A	143			0	0	421	29	398	120	0	0
	1501	HOTEL, MOTEL, OR RESORT	477.2	P	888			0	0	0	34	32	0	887	47
	2001	IMAINI TANIGONI	64.3	A	112			0	14	105	274	255	60	165	0
	2001	HEAVY INDUSTRY	64.1	P	261			0	0	0	500	446	0	39	15
	2100	T TOUR TANDIGERAL	100.0	A	739			0	0	26	. 177	158	20	72	0
	2100	LIGHT INDUSTRY	120.0	P	338		100	0	0	0	605	386	0	0	
	0101	TAIDLIGHID TAI DADY	100.0	A	662			0	0	115	310	198	42	0	
	2101	INDUSTRIAL PARK	120.0	P	338			0	0	0	605	386	0	0	9
				A	662	335	0	0	0	115	310	198	42	0	0

LAND USE PERSON TRIP GENERATION RATES

								SI	PLIT	PERCE	TAGES	3			
			 RATES	TRIP		HOME	HOME	HOME	HOME	HOME	WORK	OTHR	SERV		
	CODE	LAND USE		END	TOTAL	WORK	COLL	SCHL	SHOP	OTHR	OTHR	OTHR	PASS	TOUR	APRT
	2102	LIGHT INDUSTRY	110.0	P	338	0	0	0	0	0	605	386	0	0	9
				A	662	335	0	0	0	115	310	198	42	. 0	. 0
	2103	LIGHT INDUSTRY	110.0	P	320	0	0	0	0	.0	603	373	0	18	6
				A	680	428	0	0	0	48	285	175	26	38	0
	2104	WAREHOUSING OR STORAGE	33.9	P	323	0	0	0	0	0	611	383	0	0	6
				A	677	448	0	0	0	51	292	183	26	0	0
	2105	SPECIAL INDUSTRY	247.0	P	367	0	0	0	0	0	770	222	0	0	8
				A	633	427	0	0	0	140	252	134	47	0	0
	2201	EXTRACTIVE INDUSTRY	2.2	P	267	0	0	0	0	0	597	403	0	0	0
				A	733		0	0	0	25	218	147	19	0	0
	2301	JUNKYARD, DUMP, OR LANDFILL	8.1	P	267			0	0	0	598	402	0	0	0
				A	733	591	0	0	0	24	219	147	19	0	0
В	4101	COMMERCIAL AIRPORT	155.7	P	0			0	0		0	0	0	0	
				A	1000			0			0		0	0	
5	4102	MILITARY AIRPORT	.0	P	347		1 (2)				805		0	85	
				A	653	450	0	0	0	47	76	134	23	270	
	4103	GENERAL AVIATION AIRPORT	9.9	P	301					1.0	559		0	94	
				A	699		0	0	0	38	241	150	20	207	0
	4104	AIRSTRIP	1.3	P	325		0	0	0	0	4 1000000000000000000000000000000000000		0	0	0
				A	675	444	0	0	0	49	307		24	0	0
	4110	OTHER TRANSPORTATION	7.1	P	414			0	0	0			0	0	
			7.4.0	A	586	354	0	0	0	214	93	110	229	0	0
	4111	TRANSIT STATION	254.3	P	302	0	0	0	0	0	346	645	0	9	0
				A	698	241	0	0	0	163	149	280	167	0	.0
	4112	FREEWAY	.0	P	500	100	100	100	100	100	100	100	. 100	100	100
				A	500		100	100	100	100			100	100	100
	4113	COMMUNICATION OR UTILITY	2.8	P	370	0	0	0	0	0	612	382	0	0	6
			12	A	630	333	0	0		0.50	360	225	21	0	0
	4114	SURFACE PARKING LOT	.0	P	500	100	100	100	100	100	100	100	100	100	100
				A	500	100	100	100	100	100	100	100	100	100	100
	4115	STRUCTURE PARKING LOT	.0	P	500	100	100	100	100	100	100	100	100	100	100
				A	500	100	100	100	100	100	100	100	100	100	100
	4116	PARK AND RIDE LOT	301.1	P	300	0	0	0	0	0	349	651	0	0	0
				=	700	241	. 0	0	0	164	149	280	166	0	0

						,	SI	PLIT I	PERCE	VTAGES	5			
		RATES	TRIP		HOME	HOME	HOME	HOME	HOME	WORK	OTHR	SERV		
CODE	LAND USE		END	TOTAL	WORK	COLL	SCHL	SHOP	OTHR	OTHR	OTHR	PASS	TOUR	APRT
4117	RAILROAD	.0	P	500	100	100	100	100	100	100	100	100	100	100
			A	500	100	100	100	100	100	100	100	100	100	100
4118	ROADS	.0	P	500	100	100	100	100	100	100	100	100	100	100
190			A	500	100	100	100	100	100	100	100	100	100	100
4119	OTHER TRANSPORTATION	37.4	P	230	0	0	. 0	0	0	195	353	0	452	0
			A	770	46	0	0	0	31	59	105	32	727	0
5000	GENERAL COMMERCIAL	461.0	P	372	0	0	0	0	0	171	821	0	7	1
			A	628	67	0	0	166	135	102	487	23	20	0
5001	WHOLESALE TRADE	78.6	P	346	0	0	0	0	0	614	382	0	0	4
			A	654	297	0	0	0	55	325	203	21	99	0
5002	REGIONAL SHOPPING CENTER	750.0	P	322	0	0	0	0	0	149	796	0	54	1
			A	678	56	0	0	269	66	71	380	18	140	0
5003	COMMUNITY SHOPPING CENTER	1000.0	P	339	0	0	0	0	0	70	909	0	20	1
			A	661	30	0	0	227	157	36	468	27	55	0
5004	NEIGHBORHOOD SHOPPING CENTER	1500.0	P	340	0	. 0	0	0	0	72	903	0	24	1
			A	660	30	0	0	225	152	37	466	25	65	0
5005	SPECIALTY COMMERCIAL	1250.0	P	333	0	0	0	0	0	158	743	0	98	1
			A	667	47	0	0	125	98	79	371	18	262	0
5007	COMMUNITY SC ADJUSTMENT	142.3	P	339	0	0	0	0	0	70	909	0	20	1
			A	661		0		227	157	36	468	27	55	0
5008	GAS STATION W/FOOD MRT(/STA)	1190.0	P	372				0	0	171	821	0	7	1
		and an area of the second	A	628		0		166	135	102	487	23	20	0
5009	OTHER RETAIL	1250.0	P	372				0	0	171	821	0	7	1
			A	628				166	135	102	487	23	20	0
5010	FAST FOOD RESTAURANT (/KSF)	963.0	P	372				0	0	171	821	0	7	1
3.0.00	· · · · · · · · · · · · · · · · · · ·		A	628				166	135	102	487	23	20	0
6000	GENERAL OFFICE	400.0	P	345			- 3	. 0	0	532	428	0	36	4
		222.1	A	655		1.33	0.54	133	116	281	226		104	o
6001	HIGH RISE OFFICE	950.0	P	343					0	567	398	0	32	. 3
0.000 to 0.0	Sand Sandardo Sandardo Sando Sando Sandardo Sand		A	657		_			50	297	209		94	0
6002	LOW RISE OFFICE	400.0	P	345			27.0		0	532	428	0	36	4
.5335.7		(E.E.E.E.E.E.	A	655		0	33	0	116	281	226	8	104	0
						_	•			71:00		•		-

3-16

							SI	PLIT I	PERCEN	TAGES	3			
		RATES	TRIP		HOME	HOME	HOME	HOME	HOME	WORK	OTHR	SERV		
CODE	LAND USE		END	TOTAL	WORK	COLL	SCHL	SHOP	OTHR	OTHR	OTHR	PASS	TOUR	APRT
6003	GOV'T OFFICE OR CENTER	800.0	P	355	0	0	0	0	0	311	648	0	39	2
			A	645	117	0	0	0	226	171	. 357	15	114	0
6004	HIGH RISE OFFICE	2873.7	P	343	0	0	0	0	0	567	398	0	32	3
			A	657	321	0	0	2	50	297	209	27	94	0
6005	GREENWICH DR. OFFICES	280.0	P	345	0	. 0	0	0	0	532	428	0	36	4
			A	655	265	0	0	0	116	281	226	8	104	0
6100	PUBLIC SERVICE	261.5	P	300	0	0	0	0	0	205	795	0	0	0
			A	700	42	0	0	0	519	88	341	10	0	0
6101	CEMETERY	4.3	P	288	0	0	0	0	0	184	816	0	0	0
14			A	712	322	0	0	0	232	74	331	0	41	- 0
6102	CHURCH	44.1	P	243	0	0	0	0	0	241	756	0	0	3
			A	757	63	0	0	0	513	78	243	85	18	
6103	LIBRARY	299.8	P	365	0	0	0	0	0	322	678	0	0	
			A	635	130	0	0	0	254	185	390	16	25	
6104	POST OFFICE	1039.7	P	370	0	0	0	0	0	325	674	0	0	1
			A	630	134	0	0	0	257	191	397	17	4	
6105	FIRE OR POLICE STATION	200.0	P	370		0	0	0	0	324	676	0	0	
0200		######################################	A	630		0	0	0	260	191	397	18	0	0
6108	MISSION	53.6	P	219			0	0	0	165	518	0	315	
0100	1120201	23.0	A	781			0	0	210	47	145	34		0
6109	OTHER PUBLIC SERVICE	261.5	P	300			0	100	0	205	795	0	0	
0105	Olimic Londic phicklen	202.5	A	700			0		519	88	341	10		
6500	HOSPITAL	400.0	P	259			0		0	264	723	0		
0300	HODITIAL	100.0	A	741			0		347	93	253	49		
6501	MAJOR HOSPITAL	400.0	P	253					0	243	674	0		
0301	PADOR HOSPITAD	400.0	A	747					300	83	228	40	143	
6502	HOSPITAL	400.0	P	259					0	264	723	0		
6502	ROSFITAL	400.0	A	741		- 5	. 32		347	93	253	49		
6509	OTHER HEALTH CARE	455.8	P	320					0	237	758	0		
6303	OTHER HEADTH CARE	433.0	A	680					388	111	357	25		
6701	MILITARY USE	1.9	P	441			1	, <u>, , , , , , , , , , , , , , , , , , </u>	191	99	545	0		
6701	DEDITARI USB	1.9	A	559			1 32		264	78	430	20	. 8	
6800	GENERAL SCHOOL	274.7	P	160			. 25		264	152	845	20	2	
6800	GENERALI SCHOOL	2/4./	A	840	10			-	118	29	162		2	
			A	840	21	U	408	U	TTR	29	102	130	4	U

										A STATE OF THE PARTY OF THE PAR				
		RATES	TRIP			HOME								
CODE	LAND USE		END	TOTAL	WORK	COLL	SCHL	SHOP	OTHR	OTHR	OTHR	PASS	TOUR	APRT
6801	SDSU OR UCSD	146.4	P	284	50	0	0	108	223	157	438	0	21	3
			A	716	70	619	0	0	30	62	174	19	26	0
6802	UNIVERSITY OR COLLEGE	146.4	P	284	50	0	0	108	223	157	438	0	21	3
			A	716	70	619	0	0	30	62	174	19	26	0
6803	JUNIOR COLLEGE	186.6	P	144	0	. 0	0	0	. 0	185	799	0	14	2
	9.		A	856	43	719	0	0	29	31	135	28	15	
6804	SENIOR HIGH SCHOOL	159.5	P	188	0	0	0	0	0	185	809	0	4	2
			A	812	55	0	510	0	79	43	187	120	6	0
6805	JUNIOR HIGH OR MIDDLE SCHOOL	170.2	P	172	0	0	0	0	0	110	882	0	. 7	1
			A	828	32	0	530	0	73	23	184	149	9	0
6806	ELEMENTARY SCHOOL	274.7	P	160	0	0	0	0	0	152	845	0	2	1
			A	840	31	0	468	0	118	29	162	190	2	0
6807	SCHOOL DISTRICT OFFICE	264.8	P	345	0	0	0	0	0	530	429	0	37	4
			A	655	265	0	0	0	112	280	227	7	109	0
6810	UCSD COUNTS	131.2	P	284	50	0	0	108	223	157	438	0	21	3
			A	716	70	619	0	0	30	62	·174	19	26	0
7200	OTHER RECREATION	7.0	P	258	0	0	0	0	0	118	882	0	0	0
			A	742	9	0	0	0	623	41	307	20	0	0
7201	TOURIST ATTRACTION	70.0	P	279	0	0	0	0	0	172	476	0	352	0
			A	721	57	0	0	0	334	67	184	0	358	0
7202	STADIUM OR ARENA	24.0	P	242	0	0	0	0	0	55	561	0	384	0
	10		A	758		0	0	0	265	18	179	9	481	0
7203	RACETRACK	15.7	P	245	0	0	0	0	0	67	698	0	235	0
			A	755	36	0	0	0	404	22	227	13	298	0
7204	GOLF COURSE	10.6	P	251			0	0	0	62	861		77	0
			A	749			0	0	601	21	289	17	65	
7206	CONVENTION CENTER	400.4	P	261		0		0		34	363	0	481	122
- 63			A	739	22	0	0	0	105	12	129	3	729	
7207	MARINA	61.9	P	233	0	0	0	0	0	84	628	0	288	
			A	767		0	0	0	292	26	191	10	477	0
7209	OTHER RECREATION	7.0	P	258				0		118	882	. 0	0	
			A	742						41	307	20	0	
7601	ACTIVE PARK	71.7	P	247						64	906	0	30	
			A	753									28	

3-18

								SI	PLIT I	PERCEN	TAGES				
		RATES		TRIP		HOME	HOME	HOME	HOME	HOME	WORK	OTHR	SERV		
CODE	LAND USE			END	TOTAL	WORK	COLL	SCHL	SHOP	OTHR	OTHR	OTHR	PASS	TOUR	APRT
7602	PASSIVE PARK	2.6		P	248	0	0	0	0	0	66	917	0	17	0
				A	752	0	0	0	0	647	22	303	19	9	0
7603	OPEN SPACE	.0	8	P	500	100	100	100	100	100	100	100	100	100	100
				A	500	100	100	100	100	100	100	100	100	100	100
7604	ACTIVE BEACH	175.0		P	291	0	0	0	0	0	36	545	0	419	0
				A	709	4	0	0	0	308	15	224	5	444	0
7605	PASSIVE BEACH	4.4		P	276	0	0	0	0	0	69	897	0	34	0
				A	724	13	0	0	0	592	26	343	13	13	0
8000	AGRICULTURE	2.3		P	251	0	0	0	0	0	917	83	0	0	0
				A	749	705	0	. 0	0	28	106	139	22	0	0
8001	ORCHARDS OR VINEYARD	2.3		P	267	0	0	0	0	0	598	402	0	0	0
				A	733	590	0	0	0	24	218	147	21	0	0
8002	INTENSIVE AGRICULTURE	2.3		P	266	0	0	0	0	0	595	405	0	0	0
	£			A	734	592	0	0	0	22	217	147	22	0	0
8003	FIELD CROPS	2.3		P	268		0	0	0	0	597	403	0	0	0
				A	732	590	0	0	0	24	219	148	19	0	0
9101	VACANT	.0		P	500	100	100	100	100	100	100	100	100	100	100
				A	500	100	100	100	100	100	100	100	100	100	100
9200	WATER	.0		P	500	100	100	100	100	100	100	100	100	100	100
				A	500	100	100	100	100	100	100	100	100	100	100
9201	BAYS, LAGOONS	.0		P	500	100	100	100	100	100	100	100	100	100	100
				A	500	100	100	100	100	100	100	100	100	100	100
9202	LAKES, RESERVOIRS	.0		P	500	100	100	100	100	100	100	100	100	100	100
				A	500	100	100	100	100	100	100	100	100	100	100
9501	RESIDENTIAL CONTRUCTION	6.2		P	367	0	0	0	0	0	770	222	0	0	8
				A	633	427	0	0	0	140	252	134	47	0	0
9502	COMMERCIAL CONTRUCTION	6.2		P	367			0	0	0	770	222	0		
				A	633	427	0	0	0	140	252	134	47	0	0
9503	INDUSTRIAL CONTRUCTION	6.2		P	367			0	0	0	770	222	0	0	8
				A	633	427	0	0	0	140	252	134	47	. 0	0
9998	RESIDENTIAL	.0		P	342				- N	0	222	678	0	: 51UR	6
				A	658					135	115	354	48		0
9999	UNUSABLE	.0		P	342					0	222	677	0		7
				A	658	116	14	75	102	136	116	354	47	40	0


UNIVERSITY FOCUSED TRANSPORTATION STUDY


TAZ MAP

Key:

TAZ Numbers

TAZ Boundaries





APPENDIX C

FUTURE BUILDOUT LAND USE REPORT

UNIVERSITY FOCUSED TRANSPORTATION STUE BUILD-OUT

1670 7603 OPEN SPACE 380.1 1670 7604 ACTIVE BEACH 190.0 1670 9999 UNUSABLE 76.5 1670 9999 UNUSABLE 76.5 1670 9999 UNUSABLE 12.4 1672 4116 PARK AND RIDE LOT 2.0 1672 4119 OTHER TRANSPORTATION 10.9 1672 7603 OPEN SPACE 298.1 1672 9999 UNUSABLE 417.6 1768 1501 HOTEL, MOTEL, OR RESORT 15.3 1768 2101 INDUSTRIAL PARK 1.5 1768 7204 GOLF COURSE 276.6 1768 7601 ACTIVE PARK 22.4 1768 7603 OPEN SPACE 20.8 1770 2011 INDUSTRIAL PARK 14.0 1770 2020 LOW RISE OFFICE 13.7 1770 9999 UNUSABLE 61.0 1791 2101 INDUSTRIAL PARK 10.4 1791 2103 LIGHT INDUSTRY 6.7				
1670 7604 ACTIVE BEACH 1670 9999 UNUSABLE 76.5. 1672 4112 FREEWAY 1672 4116 PARK AND RIDE LOT 1672 4119 OTHER TRANSPORTATION 1672 7603 OPEN SPACE 1672 9999 UNUSABLE 1763 1501 HOTEL, MOTEL, OR RESORT 1768 2101 INDUSTRIAL PARK 1768 7204 GOLF COURSE 1768 7601 ACTIVE PARK 1768 7603 OPEN SPACE 1768 7603 OPEN SPACE 1768 9999 UNUSABLE 1770 2101 INDUSTRIAL PARK 1770 6002 LOW RISE OFFICE 1770 7603 OPEN SPACE 1770 9999 UNUSABLE 1770 9999 UNUSABLE 1770 1770 7603 OPEN SPACE 1770 9999 UNUSABLE 1770 9999 UNUSABLE 1781 2101 INDUSTRIAL PARK 1791 2101 INDUSTRIAL PARK 1791 2101 INDUSTRIAL PARK 1791 2101 INDUSTRIAL PARK 1791 2103 LIGHT INDUSTRY 1791 9999 UNUSABLE 1830 2106 SCIENTIFIC R & D (KSF) 1830 4112 FREEWAY 1830 9999 UNUSABLE 1837 2103 LIGHT INDUSTRY 1830 9999 UNUSABLE 1837 2103 LIGHT INDUSTRY 1830 9999 UNUSABLE 1837 2103 LIGHT INDUSTRY 1837 2105 SCIENTIFIC R & D (KSF) 1837 2106 SCIENTIFIC R & D (KSF) 1837 2106 SCIENTIFIC R & D (KSF) 1837 2106 SCIENTIFIC R & D (KSF) 1837 2107 SCIENTIFIC R & D (KSF) 1837 2108 SCIENTIFIC R & D (KSF) 1841 2108 SCIENTIFIC	ZON	E CODE	LAND USE	INTENSITY
1672 4116 PARK AND RIDE LOT 2.0 d 1672 4119 OTHER TRANSPORTATION 10.9 d 1672 7603 OPEN SPACE 298.1 d 1672 9999 UNUSABLE 417.6 d 1768 1501 HOTEL, MOTEL, OR RESORT 15.3 d 1768 2101 INDUSTRIAL PARK 1.5 d 1768 7204 GOLF COURSE 276.6 d 1768 7601 ACTIVE PARK 22.4 d 1768 7603 OPEN SPACE 20.8 d 1768 9999 UNUSABLE 9.1 d 1770 2101 INDUSTRIAL PARK 14.0 d 1770 6002 LOW RISE OFFICE 13.7 d 1770 7603 OPEN SPACE 2.2 d 1770 9999 UNUSABLE 61.0 d 1791 2101 INDUSTRIAL PARK 106.4 d 1791 2101 INDUSTRIAL PARK 106.4 d 1791 2103 LIGHT INDUSTRY 6.7 d 1830 4112 FREEWAY 19.8 d 1837 2106 <	1670	7604	ACTIVE BEACH	380.1 AC 190.0 AC 76.5 AC
1768 2101 INDUSTRIAL PARK 1.5 / 1768 1768 7204 GOLF COURSE 276.6 / 1768 1768 7601 ACTIVE PARK 22.4 / 1768 1768 7603 OPEN SPACE 20.8 / 1768 1768 9999 UNUSABLE 9.1 / 1768 1770 2101 INDUSTRIAL PARK 14.0 / 1769 1770 6002 LOW RISE OFFICE 13.7 / 1769 1770 7603 OPEN SPACE 2.2 / 1769 1770 9999 UNUSABLE 61.0 / 1768 1791 2101 INDUSTRIAL PARK 106.4 / 1768 1791 2103 LIGHT INDUSTRY 6.7 / 1768 1791 9999 UNUSABLE 76.8 / 1768 1830 2106 SCIENTIFIC R & D (KSF) 2556.0 K 1837 2103 LIGHT INDUSTRY 9.4 A 1837 2106 SCIENTIFIC R & D (KSF) 831.6 K 1837 9999 UNUSABLE 20.3 A 1841 2106 SCIENTIFIC R & D (KSF) 831.6 K 1841 2106 SCIENTIFIC R & D (KSF) <td< td=""><td>1672 1672 1672</td><td>4116 4119 7603</td><td>PARK AND RIDE LOT OTHER TRANSPORTATION OPEN SPACE</td><td>12.4 AC 2.0 AC 10.9 AC 298.1 AC 417.6 AC</td></td<>	1672 1672 1672	4116 4119 7603	PARK AND RIDE LOT OTHER TRANSPORTATION OPEN SPACE	12.4 AC 2.0 AC 10.9 AC 298.1 AC 417.6 AC
1770 6002 LOW RISE OFFICE 13.7 A 1770 7603 OPEN SPACE 2.2 A 1770 9999 UNUSABLE 61.0 A 1791 2101 INDUSTRIAL PARK 106.4 A 1791 2103 LIGHT INDUSTRY 6.7 A 1791 9999 UNUSABLE 76.8 A 1830 2106 SCIENTIFIC R & D (KSF) 2556.0 K 1830 4112 FREEWAY 19.8 A 1830 9999 UNUSABLE 191.8 A 1837 2103 LIGHT INDUSTRY 9.4 A 1837 2106 SCIENTIFIC R & D (KSF) 831.6 K 1837 9999 UNUSABLE 20.3 A 1841 2106 SCIENTIFIC R & D (KSF) 1025.4 K 1841 2106 SCIENTIFIC R & D (KSF) 1025.4 K 1841 6503 HOSPITAL (BEDS) 320.0 B	1768 1768 1768 1768	2101 7204 7601 7603	INDUSTRIAL PARK GOLF COURSE ACTIVE PARK OPEN SPACE	15.3 AC 1.5 AC 276.6 AC 22.4 AC 20.8 AC 9.1 AC
1791 2103 LIGHT INDUSTRY 6.7 A 1791 9999 UNUSABLE 76.8 A 1830 2106 SCIENTIFIC R & D (KSF) 2556.0 K 1830 4112 FREEWAY 19.8 A 1830 9999 UNUSABLE 191.8 A 1837 2103 LIGHT INDUSTRY 9.4 A 1837 2106 SCIENTIFIC R & D (KSF) 831.6 K 1837 9999 UNUSABLE 20.3 A 1841 2106 SCIENTIFIC R & D (KSF) 1025.4 K 1841 6503 HOSPITAL (BEDS) 320.0 B	1770 1770	6002 7603	LOW RISE OFFICE OPEN SPACE	14.0 AC 13.7 AC 2.2 AC 61.0 AC
1830 4112 FREEWAY 19.8 A 1830 9999 UNUSABLE 191.8 A 1837 2103 LIGHT INDUSTRY 9.4 A 1837 2106 SCIENTIFIC R & D (KSF) 831.6 K 1837 9999 UNUSABLE 20.3 A 1841 2106 SCIENTIFIC R & D (KSF) 1025.4 K 1841 6503 HOSPITAL (BEDS) 320.0 B	1791	2103	LIGHT INDUSTRY	106.4 AC 6.7 AC 76.8 AC
1837 2106 SCIENTIFIC R & D (KSF) 831.6 K 1837 9999 UNUSABLE 20.3 A 1841 2106 SCIENTIFIC R & D (KSF) 1025.4 K 1841 6503 HOSPITAL (BEDS) 320.0 B	1830	4112	FREEWAY	2556.0 KSF 19.8 AC 191.8 AC
1841 6503 HOSPITAL (BEDS) 320.0 B	1837	2106	SCIENTIFIC R & D (KSF)	9.4 AC 831.6 KSF 20.3 AC
	1841 1841	6503 6504	HOSPITAL (BEDS) MEDICAL OFFICE (KSF)	1025.4 KSF 320.0 BEDS 290.0 KSF 2.2 AC

UNIVERSITY FOCUSED TRANSPORTATION STUDY BUILD-OUT

ZONE	CODE	LAND USE	INTENSITY
		SCIENTIFIC R & D (KSF)	2150.0 KSF 17.1 AC
1847	6801	FREEWAY SDSU OR UCSD	0.0 AC
1847	9999	UNUSABLE	154.3 AC
		ONIOLE FAMILY	0.0 511
1856 1856		SINGLE FAMILY INDUSTRIAL PARK	2.0 DU 22.8 AC
1856	7603	OPEN SPACE	7.4 AC
		ACTIVE BEACH UNUSABLE	116.9 AC 4.1 AC
1000	3333	ONOGABLE	4.1 7.0
1865	2106	SCIENTIFIC R & D (KSF)	858.9 KSF
1865	2107	LG. BUSINESS PARK (KSF)	502.7 KSF
1865	9999	UNUSABLE	107.0 AC
1871	6810	UCSD COUNTS	113.0 TRIPS (x100)
		LIGHT INDUSTRY	60.8 AC
		FREEWAY OTHER PUBLIC SERVICE	10.3 AC 6.0 AC
		UNUSABLE	95.1 AC
		FREEWAY	8.2 AC
1875 1875	6502 6801	HOSPITAL SDSU OR UCSD	46.9 AC 15.8 AC
1070	0001	CDCC ON GOOD	10.0 7.0
1876	2106	SCIENTIFIC R & D (KSF)	479.9 KSF
1876 1876	2107 4112	LG. BUSINESS PARK (KSF) FREEWAY	117.4 KSF 3.4 AC
1876	9999	UNUSABLE	47.1 AC
4000		WELLOW DATE:	W- 1 -
1879 1879	2101 2103	INDUSTRIAL PARK LIGHT INDUSTRY	16.4 AC 6.7 AC
1879	2104	WAREHOUSING OR STORAGE	5.8 AC
1879 1879	5001 5009	WHOLESALE TRADE OTHER RETAIL	17.2 AC 23.4 AC
.0.0	2000	O I I I I I I I I I I I I I I I I I I I	20.7 /10

UNIVERSITY FOCUSED TRANSPORTATION STUDY BUILD-OUT

ZONE	CODE	E LAND USE	INTENSITY
1879	9999	UNUSABLE	72.7 AC
1880 1880 1880	2103	LIGHT INDUSTRY	15.1 AC 5.4 AC 40.7 AC
1884	6810	UCSD COUNTS	75.0 TRIPS (x100)
1886 1886 1886	102 6109 9999		250.0 DU 1.3 AC 10.4 AC
1887 1887	102 9999	MULTI-FAMILY UNUSABLE	356.0 DU 11.2 AC
1888 1888 1888 1888 1888 1888	2103 2104 2105	INDUSTRIAL PARK LIGHT INDUSTRY WAREHOUSING OR STORAGE SPECIAL INDUSTRY ROADS UNUSABLE	52.2 AC 9.5 AC 5.3 AC 13.4 AC 0.4 AC 45.9 AC
1889 1889 1889	4112 6502 6801	FREEWAY HOSPITAL SDSU OR UCSD	9.7 AC 0.0 AC 156.6 AC
1890 1890 1890 1890	4112 4118 6109 9999	FREEWAY ROADS OTHER PUBLIC SERVICE UNUSABLE	13.9 AC 0.1 AC 30.0 AC 141.1 AC
1891	6810	UCSD COUNTS	32.5 TRIPS (x100)
1892 1892 1892	4112 4118 9999	FREEWAY ROADS UNUSABLE	31.6 AC 5.1 AC 182.2 AC

UNIVERSITY FOCUSED TRANSPORTATION STUDY BUILD-OUT

ZONE	CODE	E LAND USE	INTENSITY
1893			1.7 AC
	6002		3.0 AC
		FIRE OR POLICE STATION	2.8 AC
	7601	SENIOR HIGH SCHOOL	33.4 AC
1093	7601	ACTIVE PARK	10.4 AC
	2101		21.4 AC
		LIGHT INDUSTRY	1.7 AC
		FREEWAY	2.8 AC
1894	9999	UNUSABLE	6.8 AC
1896		INDUSTRIAL PARK	7.8 AC
1896	2103	LIGHT INDUSTRY	2.8 AC
1896	2106	SCIENTIFIC R & D (KSF) LG. BUSINESS PARK (KSF)	221.5 KSF
1896	2107	ROADS	274.6 KSF
	4118 6006		1.2 AC 10.1 KSF
1896	9999	UNUSABLE	3.4 AC
1907	2106	SCIENTIFIC R & D (KSF)	215.2 KSF
1897		그리아 하다 그 그리아 아이에 그렇지만 맛있다는 그리아 그리아 얼마나게 되었다.	14.1 KSF
1897		LOW RISE OFFICE	15.7 AC
1897			33.6 KSF
1897	9999	UNUSABLE	0.8 AC
1898	6001	HIGH RISE OFFICE	1.2 AC
1898		LOW RISE OFFICE	7.8 AC
1898	6102	CHURCH	5.1 AC
1898		OTHER PUBLIC SERVICE	0.3 AC
1898	9999	UNUSABLE	0.4 AC
1899	6810	UCSD COUNTS	118.0 TRIPS (x100)
20202			
1900	2101	INDUSTRIAL PARK	19.2 AC
1900	4112	FREEWAY	7.7 AC
1900	5009	OTHER RETAIL	9.4 AC

ZONE	CODE	E LAND USE	INTENSITY
1901	6810	UCSD COUNTS	135.5 TRIPS (x100)
1902 1902 1902		FREEWAY MAJOR HOSPITAL UCSD COUNTS	8.3 AC 33.4 AC 58.0 TRIPS (x100)
	6001	INDUSTRIAL PARK ROADS HIGH RISE OFFICE LOW RISE OFFICE	4.0 AC 1.9 AC 3.7 AC 6.6 AC
1904 1904		MULTI-FAMILY HOTEL, MOTEL, OR RESORT INDUSTRIAL PARK UNUSABLE	95.0 DU 6.6 AC 2.8 AC 1.1 AC
		HIGH RISE OFFICE LOW RISE OFFICE UNUSABLE	9.2 AC 14.1 AC 2.3 AC
1906 1906 1906		MULTI-FAMILY FREEWAY SDSU OR UCSD	860.0 DU 5.9 AC 31.7 AC
1908 1908 1908 1908 1908 1908	1501 5009 6001	MULTI-FAMILY HOTEL, MOTEL, OR RESORT OTHER RETAIL HIGH RISE OFFICE LOW RISE OFFICE ACTIVE PARK UNUSABLE	250.0 DU 3.5 AC 8.3 AC 5.0 AC 7.0 AC 2.8 AC 0.6 AC
1910 1910 1910 1910	2101 4112 4118 5009	INDUSTRIAL PARK FREEWAY ROADS OTHER RETAIL	35.0 AC 16.1 AC 1.4 AC 16.0 AC

ZONE	CODE	E LAND USE	INTENSITY
1911	102 4118 5009 6001	ROADS OTHER RETAIL	60.0 DÜ 2.0 AC 9.2 AC 19.1 AC
1912	5002		73.0 AC
1912	9999		0.3 AC
1914	102	HOTEL, MOTEL, OR RESORT	955.0 DU
1914	1501		5.8 AC
1914	5004		5.9 AC
1914	9999		2.7 AC
	102 4118 9999		1400.0 DU 0.6 AC 2.2 AC
1916 1916	1501 4112 5009 6001 6002 9999	FREEWAY OTHER RETAIL	3.8 AC 5.7 AC 3.9 AC 10.1 AC 1.0 AC 4.4 AC
1917	1501	HOTEL, MOTEL, OR RESORT	8.8 AC
1917	4112	FREEWAY	4.1 AC
1917	5009	OTHER RETAIL	6.0 AC
1917	6002	LOW RISE OFFICE	11.2 AC
1918	102	MULTI-FAMILY	76.0 DU
1918	1501	HOTEL, MOTEL, OR RESORT	6.3 AC
1918	4118	ROADS	0.4 AC
1920	102	MULTI-FAMILY	635.0 DU
1922	101	SINGLE FAMILY	56.0 DU
1922	102	MULTI-FAMILY	257.0 DU

ZONE	CODE	E LAND USE	INTENSITY
1922	5002	REGIONAL SHOPPING CENTER UNUSABLE	6.2 AC
1922	9999		8.6 AC
1923	102	MULTI-FAMILY	200.0 DU
1923	9999	UNUSABLE	0.3 AC
1924	102	MULTI-FAMILY	584.0 DU
1924	1501	HOTEL, MOTEL, OR RESORT	1.1 AC
1924	6002	LOW RISE OFFICE	1.9 AC
1925 1925 1925 1925	2101 4112 4118 7601	FREEWAY ROADS	27.0 AC 3.7 AC 6.3 AC 30.0 AC
1927	102	MULTI-FAMILY FREEWAY HIGH RISE OFFICE LOW RISE OFFICE OTHER PUBLIC SERVICE	685.0 DU
1927	4112		2.0 AC
1927	6001		2.2 AC
1927	6002		10.7 AC
1927	6109		0.8 AC
1928	4112	FREEWAY	2.8 AC
1928	5003	COMMUNITY SHOPPING CENTER	22.8 AC
1929	102	MULTI-FAMILY	935.0 DU
1929	5004	NEIGHBORHOOD SHOPPING CENTER	16.8 AC
1929	9999	UNUSABLE	5.1 AC
1930	102	MULTI-FAMILY	36.0 DU
1930	5004	NEIGHBORHOOD SHOPPING CENTER	5.3 AC
1931	102	MULTI-FAMILY	754.0 DU
1932	102	MULTI-FAMILY	615.0 DU

	ZONE	CODE	LAND USE	INTENSITY
	1933 1933 1933 1933	102 4112 5003 5007	FREEWAY COMMUNITY SHOPPING CENTER	116.0 DU 3.7 AC 28.6 AC 100.0 TRIPS (x100)
	1934	102	MULTI-FAMILY	339.0 DU
	1935 1935 1935	102 7601 9999	MULTI-FAMILY ACTIVE PARK UNUSABLE	400.0 DU 1.8 AC 3.2 AC
	1936 1936	102 7601	MULTI-FAMILY ACTIVE PARK	249.0 DU 16.6 AC
	1937 1937	2101 4118 7602	MULTI-FAMILY INDUSTRIAL PARK ROADS PASSIVE PARK UNUSABLE	456.0 DU 2.0 AC 4.8 AC 7.2 AC 26.0 AC
		102 4112 6102		444.0 DU 3.4 AC 5.0 AC
	1939 1939 1939	102 7602 9999	MULTI-FAMILY PASSIVE PARK UNUSABLE	780.0 DU 19.8 AC 2.1 AC
	1941	102	MULTI-FAMILY	474.0 DU
-	1942	102	MULTI-FAMILY	943.0 DU
	1943	102	MULTI-FAMILY	820.0 DU
	1944	102	MULTI-FAMILY	548.0 DU

	ZONE	CODE	E LAND USE	INTENSITY
	1944	9999	UNUSABLE	0.1 AC
	1947	102	MULTI-FAMILY	168.0 DU
	1947	6806	ELEMENTARY SCHOOL	14.6 AC
	1947	7601	ACTIVE PARK	7.2 AC
	1948 1948 1948 1948 1948 1948	101 4112 4116 7601 7602 9999	SINGLE FAMILY FREEWAY PARK AND RIDE LOT ACTIVE PARK PASSIVE PARK UNUSABLE	256.0 DU 4.9 AC 2.1 AC 2.5 AC 26.4 AC 12.0 AC
*	1949	102	MULTI-FAMILY	457.0. DU
	1949	7602	PASSIVE PARK	13.4 AC
	1950	102	MULTI-FAMILY	240.0 DU
	1950	4112	FREEWAY	1.7 AC
	1950	9999	UNUSABLE	2.2 AC
	1954	101	SINGLE FAMILY	694.0 DU
	1954	7602	PASSIVE PARK	34.5 AC
	1954	9999	UNUSABLE	9.4 AC
	1955 1955 1955 1955		MULTI-FAMILY FREEWAY PASSIVE PARK UNUSABLE	729.0 DU 24.1 AC 4.2 AC 5.5 AC
	1956	102	MULTI-FAMILY	22.0 DU
	1956	5004	NEIGHBORHOOD SHOPPING CENTER	7.5 AC
	1957	6804	SENIOR HIGH SCHOOL	47.4 AC
	1957	7602	PASSIVE PARK	25.1 AC
	1958	102	MULTI-FAMILY	1200.0 DU

*			
ZONE	CODE	E LAND USE	INTENSITY
1958 1958 1958	4112 7601 9999	ACTIVE PARK	7.5 AC 5.3 AC 48.8 AC
1959 1959 1959	102 7602 9999	MULTI-FAMILY PASSIVE PARK UNUSABLE	547.0 DU 11.0 AC 2.1 AC
1960 1960	102 7602	MULTI-FAMILY PASSIVE PARK	477.0 DU 5.7 AC
1961	101	SINGLE FAMILY	705.0 DU
1961	102 4118 5004 7602 9999		61.0 DU 1.1 AC 3.0 AC 61.9 AC 10.2 AC
1962 1962	102 7602	MULTI-FAMILY PASSIVE PARK	340.0 DU 5.6 AC
1964 1964 1964 1964 1964 1964	101 102 5008 6804 6806 9999		200.0 DU 119.0 DU 1.0 STA 6.0 AC 11.3 AC 10.2 AC
1966 1966 1966 1966 1966	101 4112 5004 6102 7602	SINGLE FAMILY FREEWAY NEIGHBORHOOD SHOPPING CENTER CHURCH PASSIVE PARK	326.0 DU 3.5 AC 1.0 AC 3.7 AC 125.8 AC
1967 1967	2101 4112	INDUSTRIAL PARK FREEWAY	10.4 AC 8.3 AC

ZONE	CODE	E LAND USE	INTENSITY
1967	6001	HIGH RISE OFFICE	2.9 AC
1967	6002	LOW RISE OFFICE	51.8 AC
1967	6102	CHURCH	4.6 AC
1967	7602	PASSIVE PARK	4.7 AC
1967	9999	UNUSABLE	1.2 AC
1968	101	SINGLE FAMILY	40.0 DU
1968	7601	ACTIVE PARK	11.0 AC
1968	9999	UNUSABLE	17.6 AC
1970 1970 1970 1970 1970 1970 1970 1970	101 102 4112 5004 6102 6805 6806 7601 7603	MULTI-FAMILY FREEWAY NEIGHBORHOOD SHOPPING CENTER CHURCH JUNIOR HIGH OR MIDDLE SCHOOL ELEMENTARY SCHOOL	301.0 DU 243.0 DU 11.2 AC 2.0 AC 2.0 AC 18.8 AC 7.9 AC 17.3 AC 17.9 AC
1971	5004	NEIGHBORHOOD SHOPPING CENTER	7.0 AC
1971	5008	GAS STATION W/FOOD MRT	1.0 STA
1971	5010	FAST FOOD RESTAURANT	4.0 KSF
1971	6103	LIBRARY	1.2 AC
1972	101	SINGLE FAMILY	470.0 DU
1972	102	MULTI-FAMILY	329.0 DU
1972	4112	FREEWAY	8.5 AC
1972	5004	NEIGHBORHOOD SHOPPING CENTER	2.5 AC
1972	9999	UNUSABLE	33.5 AC
1973	101	SINGLE FAMILY	232.0 DU
1973	4112	FREEWAY	15.2 AC
1973	6102	CHURCH	1.4 AC
1973	9999	UNUSABLE	25.9 AC
1977	5004	NEIGHBORHOOD SHOPPING CENTER	8.8 AC

ZONE	CODE	LAND USE	INTENSITY
1979	101	SINGLE FAMILY	118.0 DU
1979	9999	UNUSABLE	15.0 AC
1980 1980 1980 1980 1980 1980 1980 1980	101 4112 5004 6102 6806 7601 7602 7603 9999	SINGLE FAMILY FREEWAY NEIGHBORHOOD SHOPPING CENTER CHURCH ELEMENTARY SCHOOL ACTIVE PARK PASSIVE PARK OPEN SPACE UNUSABLE	870.0 DU 34.3 AC 1.0 AC 8.4 AC 14.3 AC 4.2 AC 107.4 AC 9.7 AC 16.2 AC
1981	101	SINGLE FAMILY	334.0 DU
1981	4112	FREEWAY	8.2 AC
1981	5004	NEIGHBORHOOD SHOPPING CENTER	1.0 AC
1981	9999	UNUSABLE	41.3 AC

LAND USE SUMMARY


COD	E LAND USE	INTENSITY
101	SINGLE FAMILY MULTI-FAMILY	4,604 DU
150	HOTEL, MOTEL, OR RESORT	19,504 DU 51 AC
	MULTI-FAMILY HOTEL, MOTEL, OR RESORT INDUSTRIAL PARK	358 AC
	B LIGHT INDUSTRY	103 AC
	WAREHOUSING OR STORAGE	11 AC
	SPECIAL INDUSTRY	13 AC
2106		8,338 KSF
2107	LG. BUSINESS PARK (KSF)	909 KSF
	FREEWAY	320 AC
4113	COMMUNICATION OR UTILITY	2 AC
	PARK AND RIDE LOT	4 AC
	ROADS	25 AC
	OTHER TRANSPORTATION	11 AC
5001	WHOLESALE TRADE	17 AC 79 AC 51 AC
5002	REGIONAL SHOPPING CENTER COMMUNITY SHOPPING CENTER NEIGHBORHOOD SHOPPING CENTER COMMUNITY SC ADJUSTMENT GAS STATION W/FOOD MRT (STA)	79 AC
5003	COMMUNITY SHOPPING CENTER	51 AC
5004	NEIGHBORHOOD SHOPPING CENTER	62 AC
5007	COMMUNITY SC ADJUSTMENT GAS STATION W/FOOD MRT (STA) OTHER RETAIL	100 TRIPS (X100)
5009	OTHER RETAIL FAST FOOD RESTAURANT (KSF) HIGH RISE OFFICE	76 AC
6001	HIGH RISE OFFICE	53 AC
0001	LOW DISE SEEDS	00 70
	SMALL OFFICE BLDG. (KSF)	145 AC 44 KSF 30 AC 1 AC 3 AC 38 AC
	CHURCH	30 AC
	LIBRARY	1 AC
	FIRE OR POLICE STATION	3 AC
6109	FIRE OR POLICE STATION OTHER PUBLIC SERVICE MAJOR HOSPITAL	38 AC
6501	MAJOR HOSPITAL	33 AC
	HOSPITAL	47 AC
	HOSPITAL (BEDS)	320 AC
	MEDICAL OFFICE (KSF)	290 KSF
	SDSU OR UCSD	204 AC
6804	SENIOR HIGH SCHOOL	87 AC
6805	JUNIOR HIGH OR MIDDLE SCHOOL	19 AC
6806	ELEMENTARY SCHOOL	48 AC
6810	UCSD COUNTS GOLF COURSE	532 TRIPS (x100)
7204 7601	ACTIVE PARK	277 AC
7602	PASSIVE PARK	131 AC 453 AC
7603	OPEN SPACE	736 AC
7604	ACTIVE BEACH	307 AC
9999	UNUSABLE	2,089 AC

					77			cr	ו ייד זי	DEDCEN	TTACEC				
CODE	NAME	RATES		TRIP END	TOTAL	HOME WORK	HOME COLL	HOME	HOME	HOME	WORK	OTHR OTHR	SERV	TOUR	APRT
101	SINGLE FAMILY	12.0		P A	849	176	17	96	192	331	6	69	97 138	12 20	4
102	MULTI-FAMILY	10.0		P	151 863	27 178	31	66	234	394 328	33	388	80	14	3
103	MOBILE HOME PARK	7.5		A P	137 833	37 129	16	35 0	268	409 390	31 15	385 85 426	120 48	18 11	03030
104	LOW INCOME	8.9		A P	167 863	18 178	31	66	234	414 328	75	61	50 80	17 14	3
105	MID INCOME	11.0		A P	137 849	37 176	17	96	192	409 331	31	385	120 97	18 12 20 12 20 12	4
106	HIGH INCOME	11.7		A P	151 849	27 176	17	96	192	394 331	33	388	138	12	4 0 4
107	SFD UNIVERSITY S.	15.0	#75	A P	151 849	27 176	17	96	192	394 331	33	388	138	12	. 0
1200	MULTI-FAMILY	95.1		A P	151 863 137	27 178	31	66	234	394 328	33	388	138	20 14	4 0 3 0
1401	JAIL	10.3		A P A	267	37	0	0	0	409	31 597	385 403	120	18	0
1402	DORMITORY	. 0		P	733 845	591 192	34	70	229	25 319	218	60	19 78	0 15	0
1403	MILITARY BARRACKS	.0		A P A	155 845	192	34	70	229	415 319	105	307	113 78	20 15	0 3 0 0
1404	MONASTERY	5.1		P	155 839	183	46	79	216	415 307	105	307 78	113 91 118	20	0
1409	OTHER GROUP QUARTERS	5.3		A P	161 857 143	192 32	35 0	69 0	217 0	414 329 421	5	408	87	0	. 0
ြ 1501	HOTEL, MOTEL, OR RESORT	477.2		A P	888	0	0	0	0 14	0	29 34 274	398 32 255	60	887	47
2001	HEAVY INDUSTRY	64.1		A P	112 261 739	127 0 547	0	. 0	0	105 0 26	500 177	446 158	0 20	39	15090
2100	LIGHT INDUSTRY	120.0		A P	338 662	335	0	0	0	0	605 310	386 198	0 42	0	9
2101	INDUSTRIAL PARK	120.0		A P A	338 662	335	0	0	Ö	0	605	386 198	0 42	0	9
2102	LIGHT INDUSTRY	110.0		P	338 662	335	0	Ō	0	0	605	386 198	0 42	0	9
2103	LIGHT INDUSTRY	110.0		A P	320	0	0	0	0	0	603	373	0	18	6
2104	WAREHOUSING OR STORAGE	33.9		A P A	680 323 677	0 448	0	Ō	0	0	611	175 383 183	0 26	0	6
2105	SPECIAL INDUSTRY	247.0		P	367 633	427	0	0	ő	0	770	222 134	0 47	0	. 8
2106	SCIENTIFIC R & D (KSF)	10.8		P A P	338	335	0	Ö	. 0	0	605	386 198	0 42	0	9
2107	LG. BUSINESSS PARK (KSF)	14.8		A P A	338 662		0	0	ő	0	605	386 198	0	0	9
2201	EXTRACTIVE INDUSTRY	2.2		P	267	0	0	0	0	0	597	403	0	0	0
2301	JUNKYARD, DUMP, OR LANDFILL	8.1		PA	733 267 733	591	0	Ō	0	0		402 147	0 19	Ö	Ō

CODE	NAME	RATES		TRIP	TOTAL	HOME	HOME	HOME	HOME	PERCEN	WORK	OTHR	SERV		
01	COMMERCIAL AIRPORT	155.7			0	0	0	0	0	0	0	0	0	0	
.02	MILITARY AIRPORT	.0		P A P	1000 347	17	ő	0	0	ŏ	805	110	Ŏ	85)
03	GENERAL AVIATION AIRPORT	9.9		A	653 301	450	0	000000000000000000000000000000000000000	0	47 0	76 559	134	23	270 94)
104	AIRSTRIP	1.3		P A P	699 325	344	0000	0	0	38	241 636	150 364	20	207	7
110	OTHER TRANSPORTATION	7.1		A P A	675 414	444		0	0	49	307 552	176 448	24	0	
111	TRANSIT STATION	254.3		P	586 302	354	0		0	214	93 346	110 645	229	0)
112	FREEWAY	.0		A P A	698 500	241 100	100	100	100	163 100	149	280 100	167 100	100	j
13	COMMUNICATION OR UTILITY	2.8		P	500 370	100	100	100	100	100	100 612	100 382	100	100)
114	SURFACE PARKING LOT	.0		A P	630 500	333 100	100	100	100	100	360 100	225 100	21 100	100	Ď
115	STRUCTURE PARKING LOT	.0		A P	500	100 100	100 100	100	100	100	100 100	100	100 100	100 100	Ó
116	PARK AND RIDE LOT	301.1		A P	500 300	100	100	100	100	100	100 349	100 651	100	100)
17	RAILROAD	.0		A P	700 500	241 100	100	100	100	164 100	149 100	280 100	166 100	100	ó
18	ROADS	.0		A P	500	100	100 100	100	100	100	100	100 100	100	100)
119	OTHER TRANSPORTATION	37.4	92.5	A P	500 230	100	100	100	100	100	100 195	100 353	100	100 452	2
000	GENERAL COMMERCIAL	461.0		A P	770 372	46	0	0	0	31	59 171	105 821	32	727	7
001	WHOLESALE TRADE	78.6		P	628 346	67	0	0	166	135	102 614	487 382	23	20)
002	REGIONAL SHOPPING CENTER	750.0		P	654 322	297	0	0 0 0	000	55	325 149	203 796	21	99 54	1
003	COMMUNITY SHOPPING CENTER	1000.0		A P	678 339	56	0	0	269	66	71	380 909	18	140)
004	NEIGHBORHOOD SHOPPING CENTER	1500.0		A P	661 340	30	ŏ	0	227	157	36 72	468 903	27	55	Ī
05	SPECIALTY COMMERCIAL	1250.0		P	660 333 667	30	0000000000000	0	225	152	37 158	466 743	25	65 98 262	3
007	COMMUNITY SC ADJUSTMENT	142.3		A P	339	47	0	0	125	98	79 70	371 909	18	262	5
80	GAS STATION W/FOOD MRT(/STA)	1190.0		A P	661 372	30	0	0	227	157	36 171	468 821	27 0	20 55 7	17
009	OTHER RETAIL	1250.0		P	628 372	67	000	0	166	0	102 171	487 821	23	20	7
010	FAST FOOD RESTAURANT (/KSF)	963.0		P	628 372	67	0	0	166	0	102	487 821	23	20	7
000	GENERAL OFFICE	400.0		P A	628 345 655	67 0 265	0	0	166 0 0	135 0 116	102 532 281	487 428 226	23 0 8	20 36 104	5


		RATES	TRIP	TOTAL	HOME	HOME	SI	LIT I	PERCEN	TAGES	OTHR	SERV	
CODE	NAME		END	TOTAL	WORK	COLL	SCHL	SHOP	OTHR	OTHR	OTHR	PASS	TOT
6001	HIGH RISE OFFICE	950.0	P A	343 657	321	0	0	0	0 50	567	398 209	27	3
6002	LOW RISE OFFICE	400.0	P A	345 655	265	ŏ	ő	200	116	297 532 281	428 226	0 8	10
6003	GOV'T OFFICE OR CENTER	800.0	P A	355 645	0 117	ŏ	0	000	226	311	648	0	13
6004	HIGH RISE OFFICE	2873.7	P	343 657	0	0	0	0	0	567	357 398	15 0 27	
6005	GREENWICH DR. OFFICES	280.0	P	345	321	0 0 0	0	0	50	297 532	209 428	0	100
6006	SMALL OFFICE BLDG. (KSF)	25.7	A P A	655 345	265	0	0	0	116	281 532	226 428	8	10
6100	PUBLIC SERVICE	261.5	P	655 300	265	0	0	0	116	281 205	226 795	8	10
6101	CEMETERY	4.3	A P	700 288	42	0	ŏ	0	519	88 184	341 816	10	
6102	CHURCH	44.1	A	712 243	322	0	0	0	232	74 241	331 756	0	4
6103	LIBRARY	299.8	A	757 365	63	0	0	0	513	78 322	243 678	85	1
6104	POST OFFICE	1039.7	A P	635 370	130	0	0	.0	254	185 325	390 674	16	2
6105	FIRE OR POLICE STATION	200.0	A P	630 370	134	0	0	0	257	191 324	397 676	17	
6108	MISSION	53.6	A P	630 219	134	0	0	0	260	191 165	397 518	18	31
6109	OTHER PUBLIC SERVICE	261.5	A	. 781 300	27	0	0	0	210	205	145 795	34	53
6500	HOSPITAL	400.0	A P	700 259	42	0	0	0	519	264 264	341 723 253	10	
6501	MAJOR HOSPITAL	400.0	A P	741 253	243	0	0	0	347	93 243	674	49	7
6502	HOSPITAL	400.0	AP	747 259	206	0	0	0	300	83 264	228 723	40	14
6503	HOSPITAL (BEDS)	26.0	A P	741 259	243	0	0	0	347	93 264	253 723	49	1
6504	MEDICAL OFFICE (KSF)	65.0	P	741 320	243	0	0	0	347	93 237	253 758	49	1
6509	OTHER HEALTH CARE	455.8	A P	680 320	106	0	0	0	388	111 237	357 758	25	1
6701	MILITARY USE	1.9	A P	680 441	106	0	0	94 32	388	111 99 78	357 545	25	22222
6800	GENERAL SCHOOL	274.7	A P	559 160	168	0	0	0	264	152	430 845	20	
6801	SDSU OR UCSD	146.4	A P	840 284	31 50	0	468	108	118 223	157	162 438	190	2
6802	UNIVERSITY OR COLLEGE	146.4	A	716 284	70 50 70	619	0	108	223 223	157	174 438	19	NO.
6803	JUNIOR COLLEGE	186.6	P A	716 144 856	70 0 43	619 719	000	0	30 0 29	185 31	174 799 135	19 0 28	1

	CODE	NAME	RATES	12007111	TRIP	TOTAL	HOME	HOME	HOME	HOME	PERCEN	WORK	OTHR	SERV	TOUR	
	6804	SENIOR HIGH SCHOOL	159.5			188		0		13760		185	809	1000		
	6805	JUNIOR HIGH OR MIDDLE SCHOOL			P A	812	55 0	0	510	0	79 79	43	187	120	4 6 7	0
	6806	ELEMENTARY SCHOOL	274.7		A	P 172 A 828 P 160 A 840 P 345 A 655 P 284	32	0000000	530 468 0 0	0000	73 0 118 0 112 223	110 23 152 29 530 280 157	882 184 845 162 429 227	149 0 190 7	9	ō
	6807	SCHOOL DISTRICT OFFICE	264.8		A		31								922	ò
	6810	UCSD COUNTS			A		265								37 109	0
	7200	OTHER RECREATION	7.0	N 2	A	716	50 70	619	0	108	30	62	438 174	19	21 26	300
	7200	TOURIST ATTRACTION			P A	258 742	090	ŏ	0	0	623	118	882 307	20	0 0	0
	7201	STADIUM OR ARENA	70.0		A	279 721 242	57	0	0	0	334	172 67 55	476 184	0	352 358	0000
	7202	RACETRACK	24.0		A	758	48	. 0	0	0	265	18 67	561 179	0	384 481	ő
	7203	GOLF COURSE	15.7		A	245 755	36	0	0	0	404	22	698 227	13	235 298	0
	7204	CONVENTION CENTER	10.6		Ā	251 749	0	0	0	0	601	62 21 34	861 289 363	17	65	100
	7206	MARINA	400.4		A	261 739	22	0	0	0	105	12	129	3	481 729	122
	7209	OTHER RECREATION	61.9 7.0	2	P A	. 233 767	0	. 0	0	0	292	84 26	628 191	10	288 477	0
	7601	ACTIVE PARK	71.7		A	258 742	090	0	0	0	623	118	882 307	20	30	0
,		PASSIVE PARK			A	247 753	8	00	0	0	626	64 21 66	906 298	19	28 17	0
œ	7602 7603	OPEN SPACE	2.6		A .	248 752	Ö	ŏ	Ŏ	0	647	22	917 303	19	9	0
	7604	ACTIVE BEACH	.0 175.0		A	500 500	100	100	100	100	100	100	100	100	100 100 419	100
	7605	PASSIVE BEACH			Ä	291 709	· 0	0	0	0	308	36 15 69	545 224	0 5 0	444	0
		AGRICULTURE	4.4		A	276 724	13	0	0	0	592	26	897 343	13	34 13	0
	8000		2.3		A P	251 749 267	705	0	0	0	28 0	917 106 598	83 139	22	0	0
	8001	ORCHARDS OR VINEYARD	2.3		A	733	590	0	0	0	24	218	402 147	21	0	0
	8002	INTENSIVE AGRICULTURE	2.3		A	266 734	592	0	0	0	22	595 217	405 147	22	0	0
	8003	FIELD CROPS	2.3		A	268 732	590	0	0	0	24	597 219	403 148	19	0	. 0
	9101	VACANT	.0		A	500 500	100	100	100	100	100	100	100	100	100	100
	9200	WATER	.0		A	500 500	100	100	100	100	100	100	100	100	100	100
	9201	BAYS, LAGOONS	.0		P A	500 500	100 100	100 100	100	100 100	100 100	100 100	100 100	100 100	100 100	100 100



UNIVERSITY FOCUSED TRANSPORTATION STUDY TAZ MAP TAZ Numbers TAZ Boundaries

* Key:



APPENDIX D

COMPARISON OF 1997 FORECAST TO 1987 FORECAST

COMPARISON OF 1997 FORECAST TO THE 1987 FORECAST

The current forecast work for the University Focused Transportation Study and the forecast work done for the 1990 University Community Plan Update, completed in 1987, differ in the forecast volumes assigned to the street network. **Figure D1** shows the buildout forecast daily traffic volumes for Alternative 1 of the University Focused Transportation Study and **Figure D2** shows the buildout forecast daily traffic volumes for the University Community Plan.

Figure 3 provides a visual comparison of where and the relative degree of increase or decrease in daily traffic volumes forecast in the two studies. Road segments with a higher forecast volume in 1997 are shown with a circle symbol and road segments with a lower forecast volume in 1997 are shown with a triangle symbol. Those road segments without symbols either had comparable forecast daily volumes or the segments were not reported for the 1987 forecast.


Table D1 shows a daily traffic and level-of-service comparison between the 1987 University Community Plan forecast and the 1997 Focused Transportation Study forecast for some selected street segments in the community. The chosen segments had the worst LOS in the 1987 forecast. Also included were the two segments of Genesee Avenue that were the focus of this study.

Both models are constructed by determining the buildout land uses and buildout road system in the community planning area and then merging this data with a different SANDAG's Regional Transportation Model for San Diego County which is part of their regional demographic data base. The SANDAG model has land use, population and employment data estimated for a specific target year in the future. The Regional Transportation Network expected to be in place is also included in the model. Twenty years is usually the target time frame. SANDAG revises their data base every three to five years to reflect updated demographic and roadway completion estimates. Each major revision to the SANDAG demographic data base is referred to as a "Series" (e.g. Series 5, Series 6, etc.). Listed below are some potential reasons for the projected traffic volume differences between the 1987 (adopted University Community) travel forecast and the current 1997 University Focused Transportation Study.

Target Year

The model for the University community conducted in 1987, used SANDAG's Series 5 and 6 as its base. Series 6 had year 2005 as the target year for the population and employment projections.

The current modeling work for University uses SANDAG's Series 8 as its base.






Year 2015 Model Daily Traffic Volumes (x1000) University Focused Transportation Study

City Of San Diego • Community and Economic Development Dept. Transportation Planning Section








Daily Traffic Volumes at Buildout (x1000) University Community Plan (1987)

City Of San Diego • Community and Economic Development Dept.

Transportation Planning Section



Iniv.univ traf maps





Future Volume Comparison Alternative 1(1997) vs. Community Plan(1987)

City Of San Diego \bullet Community and Economic Development Dept. Transportation Planning Section $_{\rm D-5}$



TABLE D1

ADT AND LOS COMPARISON 1987 Community Plan vs. 1997 Focused Transportation Study for Selected University Street Segments at Buildout

		1987 COM PLAN FO		1997 FOCUSED TRANSPORTATION STUDY (Alternative 1) ¹		
STREET SEGMENT	LIMITS	ADT (x1000)	LOS	ADT (x1000)	LOS	
Regents Road	Arriba Drive to Nobel Drive	45	F	22	С	
Nobel Drive	Regents Road to Genesee Avenue	55	F	25	В	
La Jolla Village Drive	Genesee Avenue to Towne Centre Drive	65	F	50	C/D	
Genesee Avenue	I-5 to Campus Point Drive	70	F	40	С	
Genesee Avenue	John Jay Hopkins Drive to I-5	65	F	55	D/E	
Regents Road	SR-52 to Governor Drive	40	E/F	25	С	
Regents Road	Governor Drive to Arriba Drive	40	E/F	22	С	
La Jolla Village Drive	I-5 to Lebon Drive	60	E/F	50	C/D	
La Jolla Village Drive	Lebon Drive to Regents Road	60	E/F	45	С	
La Jolla Village Drive	Regents Road to Genesee Avenue	60	E/F	40	С	
Genesee Avenue	Eastgate Mall to Nobel Drive	50	E/F	30	С	
Genesee Avenue ²	Nobel Drive to Governor Drive	55	D/E	30	С	
Genesee Avenue ²	Governor Drive to SR-52	50	C/D	30	С	

¹Alternative 1: Genesee Avenue - 6 lanes, Regents Bridge - In ²For comparison purposes

The target year is 2015 for the population and employment projections.

Regional Transportation Network

The transportation network for Series 6 did not include several freeway improvements that have a definite impact on travel behavior in our study area.

- a. Series 6 did not include State Route 56 between I-5 and I-15. Therefore, the east-west traffic in this part of the County had to use Miramar Road and Mira Mesa Boulevard.
- b. State Route 52 was not expected to be complete all the way through to State Route 67 by 2005. This forced many East County travelers to use I-8 and I-805 to get to the University Community. Similarly, travelers in North County inland had to use SR-78 and I-5 to reach the study area.
- c. The widening of I-5 north of the I-805 junction was not included in the transportation network for Series 6. Since the model projected severe congestion in this area, traffic was diverted on some of the surface streets which had the path of least resistance, including Genesee Avenue and Regents Road.
- d. Series 8 included SR-56 completed between I-5 and I-15, SR-52 completed to SR-67, and the "dual freeway project" to widen I-5 north of the I-805 junction.

Land Use in Series 8

In Series 8, the population and employment demographics assumed that the western, northern and mid-county residential areas would be built-out prior to the year 2015. The eastern portion of the county is envisioned to have much of the remaining residential development.

4. Modeling Procedures

The Series 6 transportation model for 2005 only considered the western third of the county in detail. There were 737 traffic analysis zones (TAZ) covering that area.

Series 8 transportation model included the entire county in detail. There are 4,545 TAZs covering the county and each are smaller in size. This allows the traffic to be loaded onto the roadway network in a more even distribution.

In the calibration process for Series 6, SANDAG found that too many trips were trying to use the freeways. To compensate for this, penalties were added to the freeway on-ramps throughout the system. While this resulted in an enhancement to the overall modeling effort, it caused the surface streets to carry more of the traffic in the network system, especially for shorter trips.

For Series 8, there was not a need to penalize trips trying to use the freeways to achieve calibration. In addition, the total freeway system is expected to be completed by 2015. This results in the freeways have less delay in the future and more trips favoring the freeway system over the surface streets.

Differences in Total Trip Ends

The traffic model for the University community in 1987 had a total of approximately 788,000 trip ends for the community at buildout. The present traffic model has a total of approximately 764,000 trip ends for the community at buildout. This is a difference of 24,000 trip ends (about 3%). While this is a small percentage of the total trips and makes very little difference in the overall number of trips assigned to the community, it can make a significant difference on one or two particular street traffic volumes that are part of the egress/ingress to the community.

The reduction of trips in the current traffic model occurs for a variety of reasons. Projects that were future in 1987 have since been built, some at a lower traffic generation intensity than previously assumed. Traffic generation rates for some land uses may now be lower. The assumed development intensity in some areas may also be lower than assumed in 1987.

6. Better Modeling Techniques

The modeling techniques available to us today are far superior to those of ten years ago. The routines for trip table building, trip distribution and assignment are more refined. In general, since the art of traffic modeling is relatively new (about 30 years old), as time goes by, we gain more knowledge and insight.

The 1987 University Community Traffic Model was constructed by using the City's old Federal Highway Administration PLANPACK transportation modeling package for the subarea level, which was merged into SANDAG's regional TRANPLAN transportation modeling package. In 1997, the traffic model for both the subarea and the region used the same TRANPLAN package.


By using a uniform traffic model throughout, we were able to achieve a finer

degree of base year calibration, which made our model simulated traffic volumes very close to the actual existing traffic volumes.

7. Development Levels

In 1987, the University community generated 280,720 trips, while the target build out was at 788,000 trips. The community was only built at about 36%. In 1997, the community generates 623,684 trips, while the target build out is at 764,444 trips. Thus, the community is built at about 82%. The small level of development remaining to reach the future build out levels can help us achieve a more accurate forecast in 1997.

The forecast daily traffic volumes resulting from SANDAG's Series 8 Regional Transportation Model are shown in **Figure D4**. The freeway volumes compare favorable to the freeway volumes in the University Focused Transportation Study.





Year 2015 Daily Traffic Volumes (x1000) - Unadjusted City Of San Diego • Community and Economic Development Dept. Transportation Planning Section

D4

2-19-97 JAA Iniv univ trat maps

ACKNOWLEDGMENTS

The following City of San Diego staff members have contributed to the preparation of this report:

Overall Review:

Siavash Pazargadi, P.E., Senior Traffic

Engineer

Report Preparation:

Mark Rogers, P.E., Associate Traffic Engineer

Transportation Modeling

and analysis:

Mark Rogers, P.E. Associate Traffic Engineer

Ciprian Sandu, Associate Traffic Engineer Yih Ruey Chang, Assistant Traffic Engineer

Figures:

Janet Atha, Senior Drafting Aide